

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: January 22, 2019	Name of Inspector: Debbie Rydall
Inspection Type: Routine Inspection	
Licensee: Kenan Corporation / 20 Eglinton Avenue, Toronto, ON M4R 1K8 (the "Licensee")	
Retirement Home: Riverwood Senior Living / 9 Evans Road, Alliston, ON L9R 1M1 (the "home")	
Licence Number: T0243	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p> <p>24. (5) The licensee shall,</p> <p style="padding-left: 40px;">(c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.</p> <p>25. (3) The licensee shall ensure that the emergency plan provides for the following:</p> <p style="padding-left: 40px;">3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.</p>
<p>Inspection Finding</p> <p>The Home's emergency plan was not completely aligned with the requirements of the legislation in the areas listed. There was no documented evidence in place to support that the required arrangements were in place with community agencies and resources that would be involved in responding to an emergency. The Home had completed the required annual testing of their emergency plan; however failed to keep written documentation relating to the testing of the loss of essential services as required by legislation.</p>

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.

The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.

The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.

The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(a) the Residents' Bill of Rights;

(b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

(c) the protection afforded for whistle-blowing described in section 115;

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

(e) injury prevention;

(f) fire prevention and safety;

(h) the emergency plan and the infection prevention and control program of the licensee for the home mentioned in subsection 60 (4);

(i) all Acts, regulations, policies of the Authority and similar documents, including policies of the licensee, that are relevant to the person's duties;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The reviewed employee files revealed that staff had not all received the required mandatory training in the areas listed prior to commencing work in the home. Further, the reviewed documentation didn't support that staff had completed the required annual training as per the requirements of the legislation.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

**3. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Contents of plan.
The Licensee failed to comply with O. Reg. 166/11, s. 43; Initial assessment of care needs.**

Specifically, the Licensee failed to comply with the following subsection(s):

62. (4) The licensee of a retirement home shall ensure that there is a written plan of care for each resident of the home that sets out,

(b) the planned care services for the resident that the licensee will provide, including,

(i) the details of the services,

(ii) the goals that the services are intended to achieve,

43. (1) Subject to section 45, no later than two days after a resident commences residency in a retirement home, the licensee of the home shall ensure that an initial assessment of the resident's immediate care needs is conducted.

Inspection Finding

The inspection revealed that the Home had failed to update all of the randomly selected resident files with the required information; specifically, not all of the plans of care included the goals that the services were intended to achieve or clear directions to the staff providing care to the resident as per the requirements of the legislation. Further, the inspection could not verify that an initial assessment of 1 resident had been completed within the prescribed timeline as it was not dated or signed by the individual who completed the assessment.

Outcome


The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date February 21, 2019
---	---------------------------