

FINAL INSPECTION REPORT Under the *Retirement Homes Act, 2010*

Inspection Information

Date of Inspection: March 6, 2014 | **Name of Inspector:** Julie Hebert

Inspection Type: Routine Inspection

Licensee: Ventas SSL Ontario II Inc. / 10350 Ormsby Park Place, Unit 300, Louisville, KY (the "Licensee")

Retirement Home: Sunrise Senior Living of Windsor / 5065 Riverside Drive E., Windsor, ON N8Y 5B3 (the

"home")

Licence Number: S0171

Purpose of Inspection

The RHRA conducts routine inspections as set out in section 77(3) of the Retirement Homes Act, 2010 (the "RHA").

NON-COMPLIANCE

1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.

Specifically, the Licensee failed to comply with the following subsection:

- <u>s. 65. (2)</u> Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,
 - (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
 - (f) fire prevention and safety;

Inspection Finding

The last time the home had done training with staff in regards to their policy on personal assistance devices or fire prevention and safety was 2012.

Outcome

Corrective action taken.

Final Inspection Report Page 1 of 2



NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at http://rhra.ca/en/register/.

Signature of Inspector	Date
Julie Hebert	April 21, 2014

Final Inspection Report Page 2 of 2