

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: July 17, 2014	Name of Inspector: Geraldine Defoe
Inspection Type: Routine Inspection	
Licensee: Chartwell Master Care Corporation / 100 Milverton Drive, Mississauga, ON L5R 4H1 (the "Licensee")	
Retirement Home: Chartwell Meadowbrook Retirement Community / 18 Jacobson Drive, Lively, ON P3Y 1P7 (the "home")	
Licence Number: N0053	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><u>24. (5)</u> The licensee shall,</p> <ul style="list-style-type: none"> (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to, <ul style="list-style-type: none"> (i) the loss of essential services, (iii) medical emergencies, (iv) violent outbursts; (c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.
<p>Inspection Finding</p> <p>There is no annual testing of the emergency plan, and no written record of the testing of the emergency plan and changes made to improve the system.</p>
<p>Outcome</p> <p>Corrective action scheduled to be completed by the Licensee by October 31, 2014.</p>

2. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.

Specifically, the Licensee failed to comply with the following subsection(s):

- 25. (2)** The licensee shall ensure that the development of the emergency plan includes,
- (a) consultation with the relevant community agencies, partner facilities and resources that will be involved in responding to an emergency;
 - (b) identification of hazards and risks that may give rise to an emergency affecting the home, whether the hazards and risks arise within the home or in the surrounding vicinity or community, and strategies to address those hazards and risks.

Inspection Finding

The home’s emergency plan does not address the requirements as per the Regulation.

Outcome

Corrective action scheduled to be completed by the home by August 31, 2014.

3. The Licensee failed to comply with O. Reg. 166/11, s. 43; Initial assessment of care needs. The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.

Specifically, the Licensee failed to comply with the following subsection(s):

43. (2) The initial assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:

- 2. Presence of infectious diseases.
- 3. Risk of falling.
- 7. Risk of harm to self and to others.

44. (1) Subject to section 46, no later than 14 days after a resident commences residency in a retirement home, the licensee shall ensure that a full assessment of the resident’s care needs and preferences is conducted.

44. (2) The full assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:

- 1. Physical and mental health.
- 2. Functional capacity.
- 6. Need for assistance with the activities of daily living.
- 7. The matters listed in subsection 43 (2).

Inspection Finding

The home’s current Initial Assessment does not consider the presence of infectious diseases, risk of falling and risk of harm to self or others. The home’s current Full Assessment does not consider physical and

mental health, functional capacity, need for assistance with daily living and all matters listed in initial assessment. Further, the home does not conduct the Full Assessment within 14 days.

Outcome

Corrective action scheduled to be completed by the Licensee by August 31, 2014.

- 4. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.**
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Additional training for direct care staff.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(a) the Residents' Bill of Rights;

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

65. (5) The licensee shall ensure that all staff who provide care services to residents receive training in the following matters and at the times required by the regulations, as a condition of continuing to have contact with residents, in addition to the other training that they are required to receive under this section:

3. Behaviour management.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

Inspection Finding

No staff has received training on Residents' Bill of Rights. Not all staff has had training in the use of personal assistance services devices (PASD) for residents. Direct care staff has not received training on behavioural management. No staff has received training on the complaints procedure.

Outcome


Corrective action scheduled to be completed by the Licensee by August 31, 2014.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date September 4, 2014
---	---------------------------