

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> October 6, 2014	<b>Name of Inspector:</b> Corina Gadde
<b>Inspection Type:</b> Routine Inspection	
<b>Licensee:</b> Chartwell Master Care Corporation / 100 Milverton Drive, Mississauga, ON L5R 4H1 (the "Licensee")	
<b>Retirement Home:</b> Chartwell Quail Creek Retirement Residence / 450 Albert Street, Renfrew, ON K7V 4K4 (the "home")	
<b>Licence Number:</b> N0050	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").


NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.</b> <b>The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>65. (2)</b> Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <p style="padding-left: 40px;">(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;</p> <p><b>14. (1)</b> For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.</p>
<p><b>Inspection Finding</b></p> <p>The Licensee did not demonstrate that all staff who work in the home received training in the procedure for a person to complain to the licensee, or the licensee's policy regarding the use of personal assistance services devices for residents.</p>
<p><b>Outcome</b></p> <p>Corrective action is scheduled to be completed by the Licensee by November 10, 2014.</p>

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date October 30, 2014
---	--------------------------