

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: January 2, 2015	Name of Inspector: Michael Hickey
Inspection Type: Routine Inspection	
Licensee: Chartwell Master Care Corporation / 100 Milverton Drive, Mississauga, ON L5R 4H1 (the "Licensee")	
Retirement Home: Chartwell Royalcliffe Retirement Residence / 609 Wharncliffe Road, London, ON N6J 2N7 (the "home")	
Licence Number: S0059	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 55; Contents of records.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>55. (5) A licensee of a retirement home shall keep records proving compliance with the Act and this Regulation in relation to,</p> <p>(c) the skills, qualifications and training of the staff who work in the home;</p>
<p>Inspection Finding</p> <p>Routine inspection revealed the Licensee did not maintain or keep the prescribed training records for all staff demonstrating that the staff who work in home had received the required training.</p>
<p>Outcome</p> <p>Corrective action taken by the Licensee.</p>

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date January 20, 2015
---	--------------------------