

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> March 11, 2015	<b>Name of Inspector:</b> Janet Evans
<b>Inspection Type:</b> Routine Inspection	
<b>Licensee:</b> Caessant Care Nursing and Retirement Homes Limited / 264 Norwich Avenue, Woodstock, ON N4S 3V9 (the "Licensee")	
<b>Retirement Home:</b> Caessant Care - Arthur / 215 Eliza Street, Arthur, ON N0G 1A0 (the "home")	
<b>Licence Number:</b> T0032	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>25. (2)</b> The licensee shall ensure that the development of the emergency plan includes, (b) identification of hazards and risks that may give rise to an emergency affecting the home, whether the hazards and risks arise within the home or in the surrounding vicinity or community, and strategies to address those hazards and risks.</p> <p><b>25. (4)</b> The licensee shall ensure that the emergency plan addresses the following components: 3. Communications plan.</p> <p><b>25. (5)</b> The licensee shall ensure that the emergency plan for the retirement home is evaluated and updated at least annually and that the updating includes contact information for the relevant community agencies, partner facilities and resources that will be involved in responding to an emergency.</p>
<p><b>Inspection Finding</b></p> <p>The Licensee had evidence of a written emergency plan. The plan had not been updated to include the elements as listed above.</p>
<p><b>Outcome</b></p> <p>Corrective action scheduled to be completed by the Licensee by July 1, 2015.</p>

**2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.  
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.**

Specifically, the Licensee failed to comply with the following subsection(s):

**65. (2)** Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

**14. (1)** For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

**Inspection Finding**

The Licensee showed evidence of training staff but had not trained staff on their policies as listed.

**Outcome**

Corrective scheduled to be completed by the Licensee by June 1, 2015.

**3. The Licensee failed to comply with O. Reg. 166/11, s. 23; Behaviour management.**

Specifically, the Licensee failed to comply with the following subsection(s):

**23. (1)** Every licensee of a retirement home shall develop and implement a written behaviour management strategy that includes,

- (a) techniques to prevent and address resident behaviours that pose a risk to the resident or others in the home;
- (b) strategies for interventions to prevent and address resident behaviours that pose a risk to the resident or others in the home;
- (c) strategies for monitoring residents that have demonstrated behaviours that pose a risk to the resident or others in the home;

**Inspection Finding**

The Licensee had evidence of a written behaviour management strategy but failed to implement this for a resident with a known behaviour of aggression and inappropriate sexual touching.

**Outcome**

Corrective action taken by the Licensee.

**4. The Licensee failed to comply with O. Reg. 166/11, s. 15; Policy of zero tolerance of abuse and neglect.**

Specifically, the Licensee failed to comply with the following subsection(s):

**15. (3)** The policy to promote zero tolerance of abuse and neglect of residents described in subsection 67 (4) of the Act shall,

(d) provide that the licensee of the retirement home shall ensure that the resident's substitute decision-makers, if any, and any other person specified by the resident,

(ii) are notified within 12 hours upon the licensee becoming aware of any other alleged, suspected or witnessed incident of abuse or neglect of a resident;

(e) provide that the licensee of the retirement home shall ensure that the resident and the resident's substitute decision-makers, if any, are notified of the results of an investigation described in clause 67 (5) (e) of the Act immediately upon the completion of the investigation;

(g) provide that the licensee of the retirement home shall ensure that,

(i) an analysis of every incident of abuse or neglect of a resident at the home is undertaken promptly after the licensee becomes aware of it,

(ii) at least once in every calendar year, an evaluation is made to determine the effectiveness of the policy and what changes and improvements are required to prevent further occurrences of abuse and neglect of residents,

(iii) the results of the analysis undertaken under subclause (i) are considered in the evaluation mentioned in subclause (ii),

(iv) the changes and improvements mentioned in subclause (ii) are promptly implemented,

(v) a written record of everything provided for in subclauses (ii) and (iv) and the date of the evaluation, the names of the persons who participated in the evaluation and the date that the changes and improvements were implemented is promptly prepared.

**Inspection Finding**

The Licensee had a written policy of zero tolerance of abuse and neglect but it did not include the items listed as required.

**Outcome**


Corrective scheduled to be completed by the Licensee by July 1, 2015.

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date April 7, 2015
---	-----------------------