

FINAL INSPECTION REPORT Under the Retirement Homes Act, 2010

Inspection Information

Date of Inspection: August 24, 2015 | **Name of Inspector:** Corina Gadde

Inspection Type: Mandatory Reporting Inspection

Licensee: Chartwell Master Care Corporation / 100 Milverton Drive, Mississauga, ON L5R 4H1 (the

"Licensee")

Retirement Home: Chartwell Pembroke Heritage Retirement Residence / 1111 Pembroke Street, Pembroke,

ON K8A 8P6 (the "home")

Licence Number: N0062

Purpose of Inspection

The RHRA received a report under section 75(1) of the Retirement Homes Act, 2010 (the "RHA").

NON-COMPLIANCE

1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Compliance with plan.

Specifically, the Licensee failed to comply with the following subsection(s):

62. (10) The licensee shall ensure that the care services that the licensee provides to the resident are set out in the plan of care and are provided to the resident in accordance with the plan and the prescribed requirements, if any.

Inspection Finding

A resident's plan of care included direction to staff to check on him if he did not attend meals. The Licensee failed to comply with the resident's plan of care on August 13, 2015.

Outcome

Corrective action taken by the Licensee.

Final Inspection Report Page 1 of 2



NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at http://rhra.ca/en/register/

Signature of Inspector	Date
440	September 4, 2015

Final Inspection Report Page 2 of 2