

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: August 19, 2015	Name of Inspector: Debbie Rydall
Inspection Type: Routine Inspection	
Licensee: Dukesue Inc. / 480 Main Street, Listowel, ON N4W 1A6 (the "Licensee")	
Retirement Home: Livingstone Manor Retirement Residence / 480 Main Street , Listowel, ON N4W 1A6 (the "home")	
Licence Number: T0235	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 54; Contents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>54. (2) The package of information shall include, at a minimum, (c) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;</p>
<p>Inspection Finding</p> <p>The Licensee's information package is not completely aligned with the legislation. Specifically; the home's prevention of abuse policy needs to be included in the information package.</p>
<p>Outcome</p> <p>Corrective action taken by the Licensee.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 60; Safety plans. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>60. (4) Every licensee of a retirement home shall ensure that the following are in place for the home:</p>

1. An emergency plan that responds to emergencies in the home or in the community in which the home is located and that meets the prescribed requirements.

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

- (i) the loss of essential services,
- (ii) situations involving a missing resident,
- (iii) medical emergencies,
- (iv) violent outbursts;

(c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

25. (3) The licensee shall ensure that the emergency plan provides for the following:

3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

4. Identification of the community agencies, partner facilities and resources that will be involved in responding to an emergency.

Inspection Finding

The inspection revealed that the home’s emergency plan is not completely aligned with the requirements of the legislation and appears to be a template instead of being customized to the requirements of the home and the required testing of the emergency plan has not been completed as per the requirements of the legislation.

Outcome

Corrective action scheduled to be completed by the Licensee by October 31, 2015.

3. The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.

Specifically, the Licensee failed to comply with the following subsection(s):

44. (1) Subject to section 46, no later than 14 days after a resident commences residency in a retirement home, the licensee shall ensure that a full assessment of the resident’s care needs and preferences is conducted.

Inspection Finding

The home did not complete the required full assessment of care needs as per the requirements of the legislation.

Outcome

Corrective action taken by the Licensee.

- 4. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.**
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Additional training for direct care staff.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents' Bill of Rights;
- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

65. (5) The licensee shall ensure that all staff who provide care services to residents receive training in the following matters and at the times required by the regulations, as a condition of continuing to have contact with residents, in addition to the other training that they are required to receive under this section:

- 3. Behaviour management.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

There was no documented evidence provided at the time of the inspection to support that all staff have received the required training or that staff receive the required training prior to working in the home as is required by the legislation.

Outcome

Corrective action scheduled to be completed by the Licensee by October 31, 2015.

**5. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 67; Contents.
The Licensee failed to comply with O. Reg. 166/11, s. 15; Policy of zero tolerance of abuse and neglect.**

Specifically, the Licensee failed to comply with the following subsection(s):

67. (5) At a minimum, the policy to promote zero tolerance of abuse and neglect of residents shall,
(e) contain procedures for investigating and responding to alleged, suspected or witnessed abuse and neglect of residents;

15. (2) The procedures for investigating and responding to alleged, suspected or witnessed abuse and neglect of residents described in clause 67 (5) (e) of the Act shall include details outlining who will undertake the investigation and who will be informed of the investigation.

15. (3) The policy to promote zero tolerance of abuse and neglect of residents described in subsection 67 (4) of the Act shall,
(a) contain procedures and interventions to assist and support residents who have been abused or neglected or allegedly abused or neglected;

Inspection Finding

The inspection revealed that the home’s zero abuse and neglect policy is not completely aligned with the requirements of the legislation.

Outcome

Corrective action taken by the Licensee.

6. The Licensee failed to comply with O. Reg. 166/11, s. 22; Risk of falls.

Specifically, the Licensee failed to comply with the following subsection(s):

22. (1) Every licensee of a retirement home shall develop, document and implement strategies to reduce or mitigate the risk of falls in common areas of the home.

Inspection Finding

There was no documented evidence provided at the time of the inspection to support that the home has developed a falls strategy as is required by the legislation.

Outcome

Corrective action taken by the Licensee.

7. The Licensee failed to comply with O. Reg. 166/11, s. 23; Behaviour management.

Specifically, the Licensee failed to comply with the following subsection(s):

23. (1) Every licensee of a retirement home shall develop and implement a written behaviour management strategy that includes,

- (a) techniques to prevent and address resident behaviours that pose a risk to the resident or others in the home;
- (b) strategies for interventions to prevent and address resident behaviours that pose a risk to the resident or others in the home;
- (c) strategies for monitoring residents that have demonstrated behaviours that pose a risk to the resident or others in the home;
- (d) protocols for how staff and volunteers shall report and be informed of resident behaviours that pose a risk to the resident or others in the home.

Inspection Finding

The inspection revealed that a behaviour management strategy has not been developed as per the requirements of the legislation.

Outcome


Corrective action scheduled to be completed by the Licensee by October 31, 2015.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date September 21, 2015
---	----------------------------