

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: October 26, 2015	Name of Inspector: Corina Gadde
Inspection Type: Routine Inspection	
Licensee: Chartwell Master Care Corporation / 100 Milverton Drive, Mississauga, ON L5R 4H1 (the "Licensee")	
Retirement Home: Chartwell Quail Creek Retirement Residence / 450 Albert Street, Renfrew, ON K7V 4K4 (the "home")	
Licence Number: N0050	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>25. (2) The licensee shall ensure that the development of the emergency plan includes, (b) identification of hazards and risks that may give rise to an emergency affecting the home, whether the hazards and risks arise within the home or in the surrounding vicinity or community, and strategies to address those hazards and risks.</p> <p>25. (5) The licensee shall ensure that the emergency plan for the retirement home is evaluated and updated at least annually and that the updating includes contact information for the relevant community agencies, partner facilities and resources that will be involved in responding to an emergency.</p>
<p>Inspection Finding</p> <p>The emergency plan did not include identification of hazards and risks specific to the home that may give rise to an emergency affecting the home and strategies to address those hazards and risks. There was no evidence that the emergency plan was evaluated and updated annually.</p>
<p>Outcome</p> <p>Corrective action scheduled to be taken by the Licensee by November 30, 2015.</p>

- 2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.**

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

Inspection Finding

Staff did not receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the Licensee. Staff training on the PASD policy was incomplete.

Outcome

Corrective action scheduled to be taken by the Licensee by November 30, 2015.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date November 16, 2015
---	---------------------------