

FINAL INSPECTION REPORT

Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: July 22, 2015	Name of Inspector: Georges Gauthier
Inspection Type: Routine Inspection	
Licensee: Ventas SSL Ontario II Inc. / 10350 Ormsby Park Place, Louisville, KY 40223 (the "Licensee")	
Retirement Home: Sunrise of Burlington / 5401 Lakeshore Road, Burlington, ON L7L 6S5 (the "home")	
Licence Number: S0170	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 55; Posting information. The Licensee failed to comply with O. Reg. 166/11, s. 11; Posted information. Specifically, the Licensee failed to comply with the following subsection(s): 55. (2) Every licensee of a retirement home shall ensure that the following information is posted in the home in a conspicuous and easily accessible location and in a manner that complies with the prescribed requirements, if any: 3. An explanation of the measures to be taken in case of fire. 11. (1) For the purposes of paragraph 4 of subsection 55 (2) of the Act, the following information is prescribed as information that must be posted in a retirement home under that subsection: 3. An explanation of the procedures to be followed in the case of an evacuation.
Inspection Finding The posted procedures in the event of a fire provided no direction to the residents. Further, procedures to follow in the event of an evacuation were not posted.
Outcome Corrective action taken by the Licensee.
2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 60; Safety plans. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.

The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.

Specifically, the Licensee failed to comply with the following subsection(s):

60. (4) Every licensee of a retirement home shall ensure that the following are in place for the home:

1. An emergency plan that responds to emergencies in the home or in the community in which the home is located and that meets the prescribed requirements.

24. (5) The licensee shall,

- (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

- (i) the loss of essential services,
- (ii) situations involving a missing resident,
- (iii) medical emergencies,
- (iv) violent outbursts;

- (c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

25. (2) The licensee shall ensure that the development of the emergency plan includes,

- (a) consultation with the relevant community agencies, partner facilities and resources that will be involved in responding to an emergency;
- (b) identification of hazards and risks that may give rise to an emergency affecting the home, whether the hazards and risks arise within the home or in the surrounding vicinity or community, and strategies to address those hazards and risks.

25. (3) The licensee shall ensure that the emergency plan provides for the following:

1. Dealing with,
 - vi. chemical spills,

25. (5) The licensee shall ensure that the emergency plan for the retirement home is evaluated and updated at least annually and that the updating includes contact information for the relevant community agencies, partner facilities and resources that will be involved in responding to an emergency.

Inspection Finding

The emergency plan did not address the listed items.

Outcome

Corrective action taken by the Licensee.

3. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.

The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Additional training for direct care staff.

The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.

The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents' Bill of Rights;
- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

65. (5) The licensee shall ensure that all staff who provide care services to residents receive training in the following matters and at the times required by the regulations, as a condition of continuing to have contact with residents, in addition to the other training that they are required to receive under this section:

- 3. Behaviour management.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

There was no evidence to show that all staff received training in the listed items as required.

Outcome

Corrective action taken by the Licensee.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date November 24, 2015
---	---------------------------