

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> December 30, 2015	<b>Name of Inspector:</b> Debbie Rydall
<b>Inspection Type:</b> Routine Inspection	
<b>Licensee:</b> Chartwell Master Care Corporation / 100 Milverton Drive, Mississauga, ON L5R 4H1 (the "Licensee")	
<b>Retirement Home:</b> Chartwell Montgomery Village Retirement Residence / 155 Riddell Road, Orangeville, ON L9W 5H3 (the "home")	
<b>Licence Number:</b> T0446	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with O. Reg. 166/11, s. 11; Posted information.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>11. (1)</b> For the purposes of paragraph 4 of subsection 55 (2) of the Act, the following information is prescribed as information that must be posted in a retirement home under that subsection:</p> <p>3. An explanation of the procedures to be followed in the case of an evacuation.</p>
<p><b>Inspection Finding</b></p> <p>The inspection revealed that an explanation of the procedures to be followed in the case of an evacuation were not posted as per the requirements of the legislation.</p>
<p><b>Outcome</b></p> <p>Corrective action scheduled to be completed by the Licensee by January 29, 2016.</p>
<p><b>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>24. (5)</b> The licensee shall,</p> <p>(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,</p>

(iv) violent outbursts;

**Inspection Finding**

There was no documented evidence to support that the Licensee had completed all of the required annual testing of their emergency plan.

**Outcome**

Corrective action scheduled to be completed by the Licensee by January 29, 2016.

**3. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.  
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.**

Specifically, the Licensee failed to comply with the following subsection(s):

**65. (2)** Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

**14. (1)** For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

**Inspection Finding**

The inspection revealed that staff had not received the required training relating to complaints management or site specific training of the home’s prevention of abuse and neglect policy.

**Outcome**

Corrective action taken by the Licensee.

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date January 19, 2016
---	--------------------------