

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: March 1, 2016	Name of Inspector: Susan Lines
Inspection Type: Compliance Inspection	
Licensee: 458422 Ontario Limited / 220 Emma Avenue, Cornwall, ON K6J 5V8 (the "Licensee")	
Retirement Home: Sandfield Place / 220 Emma Avenue, Cornwall, ON K6J 5V8 (the "home")	
Licence Number: N0020	

Purpose of Inspection
The RHRA conducts compliance inspections as set out in section 77(1) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE

1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.

Specifically, the Licensee failed to comply with the following subsection(s):

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

- (i) the loss of essential services,
- (ii) situations involving a missing resident,
- (iii) medical emergencies,
- (iv) violent outbursts;

(c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

Inspection Finding

The home's emergency plan did not meet the requirements.

Outcome

Corrective action scheduled to be taken by the Licensee by March 29, 2016.

2. The Licensee failed to comply with O. Reg. 166/11, s. 55; Contents of records.

Specifically, the Licensee failed to comply with the following subsection(s):

55. (5) A licensee of a retirement home shall keep records proving compliance with the Act and this Regulation in relation to,
(c) the skills, qualifications and training of the staff who work in the home;

Inspection Finding

The home's management confirmed that the home did not have a record of the training of the staff in the required topics.

Outcome


Corrective action taken by the Licensee.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date March 29, 2016
---	------------------------