

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: January 29, 2016	Name of Inspector: Douglas Crust
Inspection Type: Routine Inspection	
Licensee: Delmanor Prince Edward Inc. / 4800 Dufferin Street, Toronto, ON M3H 5S9 (the "Licensee")	
Retirement Home: Delmanor Prince Edward Inc. / 4180 Dundas Street, Etobicoke, ON M8X 1X8 (the "home")	
Licence Number: T0397	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 53; Agreement required.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>53. (1) The licensee of a retirement home shall enter into a written agreement with every resident of the home before the resident commences residency in the home.</p>
<p>Inspection Finding</p> <p>At the time of the inspection not all of the resident files which were reviewed had a tenancy agreement that had been signed prior to the resident commencing residency in the retirement home.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 11; Posted information.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>11. (1) For the purposes of paragraph 4 of subsection 55 (2) of the Act, the following information is prescribed as information that must be posted in a retirement home under that subsection:</p> <p>6. A copy of the most recent final inspection report prepared by an inspector under section 77 of the Act, subject to section 114 of the Act.</p>

Inspection Finding

At the time of inspection the most recent final inspection report (last inspection dated January 15, 2015) was not posted as prescribed.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.

Specifically, the Licensee failed to comply with the following subsection(s):

44. (2) The full assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:

- 7. The matters listed in subsection 43 (2).

Inspection Finding

At the time of inspection the full assessment forms for the sample of resident files chosen for inspection did not include, as prescribed, the risk of harm to self/others, wandering and infectious diseases.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

**4. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.**

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

At the time of the inspection there was insufficient evidence to show that all staff had received all of the required training as per the legislation.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date May 11, 2016
---	----------------------