

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: April 13, 2016	Name of Inspector: Mark Dennis
Inspection Type: Routine Inspection	
Licensee: 737566 Ontario Inc. / 1097 Bethune Drive, Gravenhurst, ON P1P 0A8 (the "Licensee")	
Retirement Home: Granite Ridge Retirement Residence / 1097 Bethune Drive, Gravenhurst, ON P1P 0A8 (the "home")	
Licence Number: N0113	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 55; Posting information. The Licensee failed to comply with O. Reg. 166/11, s. 11; Posted information.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>55. (2) Every licensee of a retirement home shall ensure that the following information is posted in the home in a conspicuous and easily accessible location and in a manner that complies with the prescribed requirements, if any:</p> <p>3. An explanation of the measures to be taken in case of fire.</p> <p>11. (1) For the purposes of paragraph 4 of subsection 55 (2) of the Act, the following information is prescribed as information that must be posted in a retirement home under that subsection:</p> <p>3. An explanation of the procedures to be followed in the case of an evacuation.</p>
<p>Inspection Finding</p> <p>The Licensee did not have posted in a conspicuous and easily accessible location an explanation of the measures to be taken in case of fire. Further, the Licensee did not have posted an explanation of the procedures to be followed in the case of an evacuation.</p>
<p>Outcome</p> <p>The Licensee took corrective active to achieve compliance.</p>

2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.

Specifically, the Licensee failed to comply with the following subsection(s):

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

- (i) the loss of essential services,
- (ii) situations involving a missing resident,
- (iii) medical emergencies,
- (iv) violent outbursts;

Inspection Finding

The Licensee did not conduct annual testing with community agencies for loss of essential services, missing resident, medical emergencies or violent outbursts.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 43; Initial assessment of care needs. The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.

Specifically, the Licensee failed to comply with the following subsection(s):

43. (2) The initial assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:

- 1. Continence.
- 3. Risk of falling.

44. (2) The full assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:

- 7. The matters listed in subsection 43 (2).

Inspection Finding

The Licensee did not ensure that an initial assessment of the residents immediate care needs included Continence and Risk of Falling. Further, the Licensee did not ensure that a full assessment of the residents care needs and preferences included all the matters listed in the initial assessment.

Outcome

The Licensee took corrective action to achieve compliance.

**4. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.**

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(a) the Residents’ Bill of Rights;

(b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

Inspection Finding

The Licensee did not ensure that all staff who work in the home receive training in the procedure for a person to complain to the Licensee. Further, the Licensee did not ensure that no staff work in the home unless they have received training in the Residents’ Bill of Rights and the Licensee’s policy to promote Zero Tolerance of Abuse and Neglect of residents.

Outcome

The Licensee took corrective action to achieve compliance.

5. The Licensee failed to comply with O. Reg. 166/11, s. 15; Policy of zero tolerance of abuse and neglect.

Specifically, the Licensee failed to comply with the following subsection(s):

15. (3) The policy to promote zero tolerance of abuse and neglect of residents described in subsection 67 (4) of the Act shall,

(g) provide that the licensee of the retirement home shall ensure that,

(v) a written record of everything provided for in subclauses (ii) and (iv) and the date of the evaluation, the names of the persons who participated in the evaluation and the date that the changes and improvements were implemented is promptly prepared.

Inspection Finding

The Licensee did not ensure that the policy to promote Zero Tolerance of Abuse and Neglect of residents included a completed written record of an annual evaluation.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date May 19, 2016
---	----------------------