

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: June 16, 2016	Name of Inspector: Julie Hebert
Inspection Type: Routine Inspection	
Licensee: Seaforth Retirement Inc. / 7139 Appletree Lane, Mississauga, ON L5W 1W5 (the "Licensee")	
Retirement Home: Maplewood Manor / 13 Church Street, Seaforth, ON N0K 1W0 (the "home")	
Licence Number: S0211	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 11; Posted information.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>11. (1) For the purposes of paragraph 4 of subsection 55 (2) of the Act, the following information is prescribed as information that must be posted in a retirement home under that subsection:</p> <p>3. An explanation of the procedures to be followed in the case of an evacuation.</p>
<p>Inspection Finding</p> <p>The home had not posted procedures to be taken in case of an evacuation of the building.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p> <p>24. (5) The licensee shall,</p>

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

- (i) the loss of essential services,
- (ii) situations involving a missing resident,
- (iv) violent outbursts;

25. (2) The licensee shall ensure that the development of the emergency plan includes,

- (a) consultation with the relevant community agencies, partner facilities and resources that will be involved in responding to an emergency;
- (b) identification of hazards and risks that may give rise to an emergency affecting the home, whether the hazards and risks arise within the home or in the surrounding vicinity or community, and strategies to address those hazards and risks.

25. (3) The licensee shall ensure that the emergency plan provides for the following:

- 2. Evacuation of the retirement home, including a system in the home to account for the whereabouts of all residents in the event that it is necessary to evacuate and relocate residents and evacuate staff and others in case of an emergency.
- 3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

Inspection Finding

The home's emergency plan was not in compliance with the above noted sections of the legislation.

Outcome

The Licensee submitted a plan to achieve compliance by July 31, 2016. RHRA to confirm compliance by inspection

3. The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.

Specifically, the Licensee failed to comply with the following subsection(s):

44. (1) Subject to section 46, no later than 14 days after a resident commences residency in a retirement home, the licensee shall ensure that a full assessment of the resident's care needs and preferences is conducted.

44. (2) The full assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:

- 7. The matters listed in subsection 43 (2).

Inspection Finding

The home had not completed a full assessment on a resident within the required time frames. The full assessments viewed did not include all sections of O. Reg. 43(2) as per the regulations.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection

- 4. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.**
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents’ Bill of Rights;
- (b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The home had not trained all employees prior to commencing working in the home. The home was not completing training which included the home's policies on Zero Tolerance of abuse, PASDs and complaints procedures.

<p>Outcome</p> <p>The Licensee submitted a plan to achieve compliance by July 31, 2016. RHRA to confirm compliance by inspection</p>
<p>5. The Licensee failed to comply with O. Reg. 166/11, s. 22; Risk of falls.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>22. (1) Every licensee of a retirement home shall develop, document and implement strategies to reduce or mitigate the risk of falls in common areas of the home.</p>
<p>Inspection Finding</p> <p>The home had not implemented portions of their policy to mitigate falls in the home.</p>
<p>Outcome</p> <p>The Licensee submitted a plan to achieve compliance by July 22, 2016. RHRA to confirm compliance by inspection</p>
<p>6. The Licensee failed to comply with O. Reg. 166/11, s. 23; Behaviour management.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>23. (1) Every licensee of a retirement home shall develop and implement a written behaviour management strategy that includes,</p> <p style="padding-left: 40px;">(b) strategies for interventions to prevent and address resident behaviours that pose a risk to the resident or others in the home;</p>
<p>Inspection Finding</p> <p>The home's behavior management policy included procedures which were not being implemented in the home. As well, the policy viewed did not include the above mentioned area of the legislation.</p>
<p>Outcome</p> <p>The Licensee has submitted a plan to achieve compliance by July 8, 2016. RHRA to confirm compliance by inspection</p>
<p>7. The Licensee failed to comply with O. Reg. 166/11, s. 29; Administration of drugs or other substances.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>29. If one of the care services that the licensee or the staff of a retirement home provide to a resident of the home is the administration of a drug or other substance, the licensee shall ensure that,</p>

(e) if the licensee or a staff member is involved in the administration of the drug or other substance at the home, that the licensee or staff member is trained in,
(iii) recognizing an adverse drug reaction and taking appropriate action;

Inspection Finding

The home was not training unregulated care providers in all areas of the medication administration as per the legislation.

Outcome


The Licensee submitted a plan to achieve compliance by July 22, 2016. RHRA to confirm compliance by inspection

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date July 13, 2016
---	-----------------------