

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: June 24, 2016	Name of Inspector: Julie Hebert
Inspection Type: Routine Inspection	
Licensee: Dolce Vita Retirement Living Ltd / 854 Erie Street, Windsor, ON N9A 3Y6 (the "Licensee")	
Retirement Home: Dolce Vita Retirement Living / 854 Erie Street, Windsor, ON N9A 3Y6 (the "home")	
Licence Number: S0134	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 11; Posted information.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>11. (1) For the purposes of paragraph 4 of subsection 55 (2) of the Act, the following information is prescribed as information that must be posted in a retirement home under that subsection:</p> <p>3. An explanation of the procedures to be followed in the case of an evacuation.</p>
<p>Inspection Finding</p> <p>The home had not posted an explanation of procedures to be followed in case of an evacuation of the home.</p>
<p>Outcome</p> <p>The Licensee has submitted a plan to achieve compliance by August 5, 2016. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p>

24. (5) The licensee shall,

- (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,
 - (ii) situations involving a missing resident,

25. (3) The licensee shall ensure that the emergency plan provides for the following:

- 2. Evacuation of the retirement home, including a system in the home to account for the whereabouts of all residents in the event that it is necessary to evacuate and relocate residents and evacuate staff and others in case of an emergency.

Inspection Finding

The home's emergency plan was not in alignment with the above noted sections.

Outcome


The Licensee has submitted a plan to achieve compliance by August 5, 2016. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date July 19, 2016
---	-----------------------