RHRA Retirement Homes Regulatory Authority

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: June 30, 2016	**Name of Inspector:** Chelisa Karran
Inspection Type: Routine Inspection	
Licensee: 692536 Ontario Limited / 120 Elizabeth Street, Brighton, ON K0K 1H0 (the "Licensee")	
Retirement Home: Applefest Lodge / 120 Elizabeth Street, Brighton, ON K0K 1H0 (the "home")	
Licence Number: N0084	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the *Retirement Homes Act, 2010* (the "RHA").

NON-COMPLIANCE
1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. Specifically, the Licensee failed to comply with the following subsection(s): **24. (5)** The licensee shall, (b) at least once every two years, conduct a planned evacuation of the retirement home; (c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.
Inspection Finding The Licensee failed to conduct a planned evacuation and keep a written record of the testing of the emergency plan or any changes made to improve it.
Outcome The Licensee took corrective action to achieve compliance.
2. The Licensee failed to comply with O. Reg. 166/11, s. 43; Initial assessment of care needs. **The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.** Specifically, the Licensee failed to comply with the following subsection(s): **43. (2)** The initial assessment mentioned in subsection (1) shall consider the following matters with respect to the resident: 2. Presence of infectious diseases.

3. Risk of falling.
7. Risk of harm to self and to others.

44. (2) The full assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:

1. Physical and mental health.
2. Functional capacity.
3. Cognitive ability.
4. Behavioural issues.
6. Need for assistance with the activities of daily living.

Inspection Finding

Required sections for the initial and full assessment were not aligned with the legislation.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(a) the Residents' Bill of Rights;

(b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

(c) the protection afforded for whistle-blowing described in section 115;

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

(f) fire prevention and safety;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

Inspection Finding

Training not aligned with the required legislation in the areas listed.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

4. The Licensee failed to comply with O. Reg. 166/11, s. 41; Dementia care program.

Specifically, the Licensee failed to comply with the following subsection(s):

41. (4) The program shall be supervised by a member of a College, as defined in the Regulated Health Professions Act, 1991, with specific training in dementia care and care of older adults.

Inspection Finding

Requirement for the dementia care program not aligned with the legislation.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at http://rhra.ca/en/register/

Signature of Inspector	Date
	September 22, 2016