

FINAL INSPECTION REPORT Under the Retirement Homes Act, 2010

Inspection Information

Date of Inspection: August 30, 2016 **Name of Inspector:** Mark Dennis

Inspection Type: Routine Inspection

Licensee: BayBridge (Barrie) Inc. / 20 Queen Street, Toronto, ON M5H 3R4 (the "Licensee")

Retirement Home: Amica at Barrie / 70 Lakeside Terrace , Barrie, ON L4M 0J2 (the "home")

Licence Number: N0414

Purpose of Inspection

The RHRA conducts routine inspections as set out in section 77(3) of the *Retirement Homes Act, 2010* (the "RHA").

NON-COMPLIANCE

1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.

Specifically, the Licensee failed to comply with the following subsection(s):

- **65. (2)** Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,
 - (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

Inspection Finding

The Licensee did not provide evidence that staff have been trained on the homes Zero Tolerance of Abuse and Neglect Policy prior to commencing work in the home

Outcome

The Licensee took corrective action to achieve compliance.

Final Inspection Report Page 1 of 2



NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at http://rhra.ca/en/register/

Signature of Inspector		Date
	M.J.	September 29, 2016

Final Inspection Report Page 2 of 2