

# FINAL INSPECTION REPORT Under the *Retirement Homes Act, 2010*

Inspection Information		
Date of Inspection: August 16, 2016	Name of Inspector: Chelisa Karran	
Inspection Type: Mandatory Reporting Inspection		
Licensee: Ventas SSL Ontario II Inc. / 10350 Ormsby Park Place, Louisville, KY 40223 (the "Licensee")		
<b>Retirement Home:</b> Sunrise Senior Living of Unionville / 38 Swansea Road, Markham, ON L3R 5K2 (the "home")		
Licence Number: T0202		

## **Purpose of Inspection**

The RHRA received a report under section 75(1) of the *Retirement Homes Act, 2010* (the "RHA").

## NON-COMPLIANCE

# 1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 67; Policy to promote zero tolerance.

Specifically, the Licensee failed to comply with the following subsection(s):

**67. (4)** Without in any way restricting the generality of the duties described in subsections (1) and (2), the licensee shall ensure that there is a written policy to promote zero tolerance of abuse and neglect of residents and shall ensure that the policy is complied with.

## **Inspection Finding**

The home failed to call the police following a report of suspected abuse as outlined in the homes abuse policy.

## Outcome

The licensee took corrective action to achieve compliance.



# NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <a href="http://rhra.ca/en/register/">http://rhra.ca/en/register/</a>

Signature of Inspector	Date
ages 2	October 18, 2016