

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: October 3, 2016	Name of Inspector: Julie Hebert
Inspection Type: Mandatory Reporting Inspection	
Licensee: Ventas SSL Ontario II Inc. / 10350 Ormsby Park Place, Louisville, KY 40223 (the "Licensee")	
Retirement Home: Sunrise Senior Living of Windsor / 5065 Riverside Drive, Windsor, ON N8Y 5B3 (the "home")	
Licence Number: S0171	

Purpose of Inspection
The RHRA received a report under section 75(1) of the <i>Retirement Homes Act, 2010</i> (the "RHA").


NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 74; Licensee's duty to respond to incidents of wrongdoing.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>74. Every licensee of a retirement home shall ensure that,</p> <ul style="list-style-type: none"> (a) every alleged, suspected or witnessed incident of the following of which the licensee knows or that is reported to the licensee is immediately investigated: <ul style="list-style-type: none"> (ii) neglect of a resident of the home by the licensee or the staff of the home, (b) appropriate action as determined in the context of this Part and in the circumstances is taken in response to every incident described in clause (a);
<p>Inspection Finding</p> <p>An allegation was brought to the attention of the home regarding a resident reported to have been left unattended following a fall. The home did not complete an immediate investigation and furthermore did not take all appropriate action in response to the incident.</p>
<p>Outcome</p> <p>The Licensee took corrective action to achieve compliance.</p>

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date October 31, 2016
---	--------------------------