

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: October 17, 2016	Name of Inspector: Douglas Crust
Inspection Type: Routine Inspection	
Licensee: Pearl & Pine St. Facility Inc. / 22 St. Clair Avenue E., Unit 1200, Toronto ON M4T 2S3 (the "Licensee")	
Retirement Home: Pearl and Pine Retirement Residence / 390 Pearl Street, Burlington ON L7R 0A4 (the "home")	
Licence Number: S0352	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>44. (2) The full assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:</p> <p>7. The matters listed in subsection 43 (2).</p>
<p>Inspection Finding</p> <p>The full assessment presented for inspection did not include all the areas prescribed, specifically the risk of harm to others was not included.</p>
<p>Outcome</p> <p>The Licensee took corrective action to achieve compliance.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 15; Policy of zero tolerance of abuse and neglect.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>15. (1) The program for preventing abuse and neglect described in clause 67 (5) (c) of the Act shall entail training and retraining requirements for all staff of the retirement home, including,</p>

- (a) training on the relationship between power imbalances between staff and residents and the potential for abuse and neglect by those in a position of trust, power and responsibility for resident care;
- (b) situations that may lead to abuse and neglect and how to avoid such situations.

15. (3) The policy to promote zero tolerance of abuse and neglect of residents described in subsection 67 (4) of the Act shall,

- (d) provide that the licensee of the retirement home shall ensure that the resident’s substitute decision-makers, if any, and any other person specified by the resident,
 - (i) are notified immediately upon the licensee becoming aware of an alleged, suspected or witnessed incident of abuse or neglect of a resident that has resulted in a physical injury or pain to a resident or that causes distress to a resident that could potentially be detrimental to a resident’s health or well-being,
 - (ii) are notified within 12 hours upon the licensee becoming aware of any other alleged, suspected or witnessed incident of abuse or neglect of a resident;
- (e) provide that the licensee of the retirement home shall ensure that the resident and the resident’s substitute decision-makers, if any, are notified of the results of an investigation described in clause 67 (5) (e) of the Act immediately upon the completion of the investigation;
- (g) provide that the licensee of the retirement home shall ensure that,
 - (i) an analysis of every incident of abuse or neglect of a resident at the home is undertaken promptly after the licensee becomes aware of it,
 - (ii) at least once in every calendar year, an evaluation is made to determine the effectiveness of the policy and what changes and improvements are required to prevent further occurrences of abuse and neglect of residents,
 - (iii) the results of the analysis undertaken under subclause (i) are considered in the evaluation mentioned in subclause (ii),
 - (iv) the changes and improvements mentioned in subclause (ii) are promptly implemented,

Inspection Finding

The non-abuse policy which was presented for inspection did not include all the contents, as prescribed.

Outcome

The Licensee took corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date December 8, 2016
---	--------------------------