

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: December 6, 2016	Name of Inspector: Rachelle Harber
Inspection Type: Routine Inspection	
Licensee: The Royale Development LP / 302 Town Centre Boulevard, Markham, ON L3R 0E8 (the "Licensee")	
Retirement Home: Lincoln Park Retirement Residence / 265 Main Street , Grimsby, ON L3M 1P7 (the "home")	
Licence Number: S0237	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p> <p>24. (5) The licensee shall,</p> <ul style="list-style-type: none"> (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to, <ul style="list-style-type: none"> (i) the loss of essential services, (ii) situations involving a missing resident,
<p>Inspection Finding</p> <p>The licensee did not keep current all arrangements with community partners that will be involved in responding to an emergency. Further, the licensee did not test the emergency plan as listed, including keeping a written record of the testing.</p>
<p>Outcome</p> <p>The Licensee submitted plan to achieve compliance by January 6, 2017. RHRA to confirm compliance by inspection.</p>

2. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.

Specifically, the Licensee failed to comply with the following subsection(s):

- 25. (2)** The licensee shall ensure that the development of the emergency plan includes,
(b) identification of hazards and risks that may give rise to an emergency affecting the home, whether the hazards and risks arise within the home or in the surrounding vicinity or community, and strategies to address those hazards and risks.

Inspection Finding

The licensee did not ensure that the emergency plan includes identification of hazards and risks that may give rise to an emergency affecting the home

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 43; Initial assessment of care needs. The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.

Specifically, the Licensee failed to comply with the following subsection(s):

- 43. (1)** Subject to section 45, no later than two days after a resident commences residency in a retirement home, the licensee of the home shall ensure that an initial assessment of the resident’s immediate care needs is conducted.

- 44. (1)** Subject to section 46, no later than 14 days after a resident commences residency in a retirement home, the licensee shall ensure that a full assessment of the resident’s care needs and preferences is conducted.

Inspection Finding

The licensee did not ensure that the assessments of residents care needs are being completed within the required time frames.

Outcome


The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date December 23, 2016
---	---------------------------