

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: December 16, 2016	Name of Inspector: Michele Davidson
Inspection Type: Routine Inspection	
Licensee: HCN-Revera Lessee (Glynwood) LP / 55 Standish Court, Mississauga, ON L5R 4B2 (the "Licensee")	
Retirement Home: Glynwood / 7700 Bayview Avenue, Thornhill, ON L3T 5W1 (the "home")	
Licence Number: T0269	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p> <p>24. (5) The licensee shall,</p> <ul style="list-style-type: none"> (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to, <ul style="list-style-type: none"> (ii) situations involving a missing resident, (iii) medical emergencies, (iv) violent outbursts; <p>25. (3) The licensee shall ensure that the emergency plan provides for the following:</p> <ul style="list-style-type: none"> 3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.
<p>Inspection Finding</p> <p>The home presented an emergency plan, however the items listed were not contained in the plan.</p>

Outcome

The Licensee submitted a plan to achieve compliance by January 30, 2017. RHRA to confirm compliance by inspection.

2. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

27. (2) The licensee shall consult on an ongoing basis and not less than once a year with the local medical officer of health or designate about identifying and addressing health care issues in the retirement home in order to reduce the incidence of infectious disease outbreaks in the home.

27. (3) The licensee shall keep a written record of the consultation required under subsection (2) that shall include a record of when the consultation took place, what was discussed and any recommendations that the local medical officer of health or designate made.

Inspection Finding

The Infection Prevention and Control program provided by the Licensee, did not contain evidence of consultation with the local Public Health officer.

Outcome


The licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date January 16, 2017
---	--------------------------