

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: January 17, 2017	Name of Inspector: Julie Hebert
Inspection Type: Routine Inspection	
Licensee: CVH (No. 3) LP / 766 Hespeler Road, Cambridge, ON N3H 5L8 (the "Licensee")	
Retirement Home: Chelsey Park Retirement Community / 312 Oxford Street, London, ON N6H 4N7 (the "home")	
Licence Number: S0231	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 11; Posted information.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p style="padding-left: 40px;">11. (1) For the purposes of paragraph 4 of subsection 55 (2) of the Act, the following information is prescribed as information that must be posted in a retirement home under that subsection:</p> <p style="padding-left: 80px;">3. An explanation of the procedures to be followed in the case of an evacuation.</p>
<p>Inspection Finding</p> <p>The home had not posted procedures to be followed in case of an evacuation from the home.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p style="padding-left: 40px;">25. (3) The licensee shall ensure that the emergency plan provides for the following:</p> <p style="padding-left: 80px;">2. Evacuation of the retirement home, including a system in the home to account for the whereabouts of all residents in the event that it is necessary to evacuate and relocate residents and evacuate staff and others in case of an emergency.</p>

3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

Inspection Finding

The home's emergency procedures were not completely in alignment with the above noted sections.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

**3. The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.
The Licensee failed to comply with O. Reg. 166/11, s. 55; Contents of records.**

Specifically, the Licensee failed to comply with the following subsection(s):

44. (1) Subject to section 46, no later than 14 days after a resident commences residency in a retirement home, the licensee shall ensure that a full assessment of the resident's care needs and preferences is conducted.

44. (2) The full assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:

- 1. Physical and mental health.
- 7. The matters listed in subsection 43 (2).

55. (2) The record for each resident shall include,
(d) a copy of the resident's most recent plan of care;

Inspection Finding

The resident files reviewed on the date of inspection did not all contain full assessments which were completed within the required time frames and contained all of the required information. Not all residents had a recent plan of care.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

**4. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.
The Licensee failed to comply with O. Reg. 166/11, s. 29; Administration of drugs or other substances.
The Licensee failed to comply with O. Reg. 166/11, s. 55; Contents of records**

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents' Bill of Rights;
- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

29. If one of the care services that the licensee or the staff of a retirement home provide to a resident of the home is the administration of a drug or other substance, the licensee shall ensure that,

- (e) if the licensee or a staff member is involved in the administration of the drug or other substance at the home, that the licensee or staff member is trained in,
 - (i) ways of reducing the incidence of infectious disease, including maintaining proper hand hygiene,
 - (iii) recognizing an adverse drug reaction and taking appropriate action;

55. (5) A licensee of a retirement home shall keep records proving compliance with the Act and this Regulation in relation to,

- (c) the skills, qualifications and training of the staff who work in the home;

Inspection Finding

Staff records revealed that not all staff were trained prior to commencing working at the home and not all staff were completing annual training in all mandatory areas.

Outcome


The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date February 13, 2017
---	-------------------------------