

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: January 19, 2017	Name of Inspector: Michele Davidson
Inspection Type: Routine Inspection	
Licensee: Chartwell Master Care Corporation / 100 Milverton Drive, Mississauga, ON L5R 4H1 (the "Licensee")	
Retirement Home: Alexander Muir Retirement Residence / 197 Prospect Street, Newmarket, ON L3Y 3T7 (the "home")	
Licence Number: T0094	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall, (b) at least once every two years, conduct a planned evacuation of the retirement home;</p> <p>25. (3) The licensee shall ensure that the emergency plan provides for the following: 3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.</p> <p>25. (5) The licensee shall ensure that the emergency plan for the retirement home is evaluated and updated at least annually and that the updating includes contact information for the relevant community agencies, partner facilities and resources that will be involved in responding to an emergency.</p>
<p>Inspection Finding The emergency plan did not address the items listed.</p>
<p>Outcome The Licensee must take corrective action to achieve compliance.</p>

- 2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.**
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Additional training for direct care staff.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.
The Licensee failed to comply with O. Reg. 166/11, s. 55; Contents of records.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents' Bill of Rights;
- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

65. (5) The licensee shall ensure that all staff who provide care services to residents receive training in the following matters and at the times required by the regulations, as a condition of continuing to have contact with residents, in addition to the other training that they are required to receive under this section:

- 3. Behaviour management.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

55. (5) A licensee of a retirement home shall keep records proving compliance with the Act and this Regulation in relation to,
(c) the skills, qualifications and training of the staff who work in the home;

Inspection Finding

Training records presented at the inspection indicated that not all staff had been trained in the annual mandatory training areas.

Outcome

The Licensee must take corrective action to achieve compliance.

3. The Licensee failed to comply with O. Reg. 166/11, s. 29; Administration of drugs or other substances.

Specifically, the Licensee failed to comply with the following subsection(s):

29. If one of the care services that the licensee or the staff of a retirement home provide to a resident of the home is the administration of a drug or other substance, the licensee shall ensure that,
(e) if the licensee or a staff member is involved in the administration of the drug or other substance at the home, that the licensee or staff member is trained in,
(ii) the safe disposal of syringes and other sharps,

Inspection Finding

During the inspection, the Licensee did not produce evidence of training in reducing infectious diseases.

Outcome


The licensee must take corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date March 9, 2017
---	-----------------------