

FINAL INSPECTION REPORT

Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: April 11, 2017	Name of Inspector: Rachelle Harber
Inspection Type: Routine Inspection	
Licensee: Lifetimes Limited Partnership / 3200 Dufferin Street, Toronto, ON M6A 3B2 (the "Licensee")	
Retirement Home: Willoughby Manor Retirement Residence / 3584 Bridgewater Street, Niagara Falls, ON L2G 6H1 (the "home")	
Licence Number: S0348	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 11; Posted information.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>11. (1) For the purposes of paragraph 4 of subsection 55 (2) of the Act, the following information is prescribed as information that must be posted in a retirement home under that subsection:</p> <p style="padding-left: 40px;">3. An explanation of the procedures to be followed in the case of an evacuation.</p>
<p>Inspection Finding</p> <p>The licensee did not post the procedures to be followed in the case of an evacuation.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 60; Safety plans. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>60. (4) Every licensee of a retirement home shall ensure that the following are in place for the home:</p> <p style="padding-left: 40px;">1. An emergency plan that responds to emergencies in the home or in the community in which the home is located and that meets the prescribed requirements.</p>

24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

- (i) the loss of essential services,
- (ii) situations involving a missing resident,
- (iii) medical emergencies,
- (iv) violent outbursts;

(b) at least once every two years, conduct a planned evacuation of the retirement home;

(c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

Inspection Finding

The licensee did not ensure that the emergency plan was tested and that a planned evacuation was conducted as per the legislative requirements listed.

Outcome

The Licensee submitted plan to achieve compliance by May 31, 2017. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 30; Storage of drugs or other substances.

Specifically, the Licensee failed to comply with the following subsection(s):

30. If drugs or other substances are stored in a retirement home on behalf of a resident, the licensee of the home shall ensure that,

- (a) the drugs or other substances are stored in an area or a medication cart that,
 - (i) is used exclusively for drugs or other substances and for supplies related to drugs or other substances,

Inspection Finding

The licensee did not ensure that drugs are stored in an area that is used exclusively for drugs or other substances related supplies.

Outcome


The Licensee took corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date May 30, 2017
---	--------------------------