

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

| Inspection Information  |  |
|---|--|
| <b>Date of Inspection:</b> April 25, 2017   | <b>Name of Inspector:</b> Georges Gauthier |
| <b>Inspection Type:</b> Mandatory Reporting Inspection  |  |
| <b>Licensee:</b> Lifetimes Limited Partnership / 3200 Dufferin Street, Toronto, ON M6A 3B2 (the "Licensee")     |  |
| <b>Retirement Home:</b> Devonshire Retirement Residence / 901 Riverside Drive, Windsor, ON N9A 7J6 (the "home") |  |
| <b>Licence Number:</b> S0346  |  |

| Purpose of Inspection  |
|--|
| The RHRA received a report under section 75(1) of the <i>Retirement Homes Act, 2010</i> (the "RHA"). |


| NON-COMPLIANCE  |
|---|
| <p><b>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Reassessment and revision.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>62. (12)</b> The licensee shall ensure that the resident is reassessed and the plan of care reviewed and revised at least every six months and at any other time if, in the opinion of the licensee or the resident,</p> <ul style="list-style-type: none"> <li>(a) a goal in the plan is met;</li> <li>(b) the resident’s care needs change or the care services set out in the plan are no longer necessary;</li> <li>(c) the care services set out in the plan have not been effective.</li> </ul> |
| <p><b>Inspection Finding</b></p> <p>The Licensee failed to ensure that residents were reassessed and that the plans of care were reviewed and revised as required.</p>  |
| <p><b>Outcome</b></p> <p>The Licensee submitted plan to achieve compliance by June 25, 2017. RHRA to confirm compliance by inspection.</p>  |

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

|   |                          |
|---|--------------------------|
| Signature of Inspector<br> | Date<br><br>May 31, 2017 |
|---|--------------------------|