

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: May 25, 2017	Name of Inspector: Julie Hebert
Inspection Type: Routine Inspection	
Licensee: Steeves and Rozema Enterprises Limited / 265 North Front Street, Sarnia, ON N7T 7X1 (the "Licensee")	
Retirement Home: Twin Lakes Terrace Retirement Home / 1310 Murphy Road, Sarnia, ON N7S 2Y6 (the "home")	
Licence Number: S0146	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 11; Posted information.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>11. (1) For the purposes of paragraph 4 of subsection 55 (2) of the Act, the following information is prescribed as information that must be posted in a retirement home under that subsection:</p> <p>3. An explanation of the procedures to be followed in the case of an evacuation.</p>
<p>Inspection Finding</p> <p>The home had not posted procedures to follow in the event of an evacuation.</p>
<p>Outcome</p> <p>The Licensee submitted a plan to achieve compliance by June 23, 2017. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p>

Inspection Finding

The home had not updated all of their arrangements with their community partners that may be involved in the event of an emergency.

Outcome

The Licensee submitted a plan to achieve compliance by July 15, 2017. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

27. (2) The licensee shall consult on an ongoing basis and not less than once a year with the local medical officer of health or designate about identifying and addressing health care issues in the retirement home in order to reduce the incidence of infectious disease outbreaks in the home.

27. (3) The licensee shall keep a written record of the consultation required under subsection (2) that shall include a record of when the consultation took place, what was discussed and any recommendations that the local medical officer of health or designate made.

Inspection Finding

The home had not completed an annual consultation with the local medical officer, or their designate, in ways to reduce infectious disease in the home, nor had they been able to produce a written record of any consultation.

Outcome

The Licensee submitted a plan to achieve compliance by July 30, 2017. RHRA to confirm compliance by inspection.

4. The Licensee failed to comply with O. Reg. 166/11, s. 43; Initial assessment of care needs.

Specifically, the Licensee failed to comply with the following subsection(s):

43. (1) Subject to section 45, no later than two days after a resident commences residency in a retirement home, the licensee of the home shall ensure that an initial assessment of the resident's immediate care needs is conducted.

Inspection Finding

Not all resident files reviewed on the date of inspection contained an initial assessment completed within the required time frame.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

5. **The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.**
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Additional training for direct care staff.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(a) the Residents' Bill of Rights;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

65. (5) The licensee shall ensure that all staff who provide care services to residents receive training in the following matters and at the times required by the regulations, as a condition of continuing to have contact with residents, in addition to the other training that they are required to receive under this section:

3. Behaviour management.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

Inspection Finding

Staff in the home had not completed mandatory annual and orientation training in alignment with the legislation.

Outcome


The Licensee submitted a plan to achieve compliance by July 15, 2017. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date July 21, 2017
---	---------------------------