

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: May 24, 2017	Name of Inspector: Julie Hebert
Inspection Type: Routine Inspection	
Licensee: ATK Care Group Ltd. / 1386 Indian Grove, Mississauga, ON L5H 2S6 (the "Licensee")	
Retirement Home: Exeter Villa / 155 John Street, Exeter, ON N0M 1S1 (the "home")	
Licence Number: S0117	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p> <p>24. (5) The licensee shall,</p> <ul style="list-style-type: none"> (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to, <ul style="list-style-type: none"> (i) the loss of essential services, (ii) situations involving a missing resident, (iv) violent outbursts; (b) at least once every two years, conduct a planned evacuation of the retirement home; (c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan. <p>25. (3) The licensee shall ensure that the emergency plan provides for the following:</p> <ul style="list-style-type: none"> 3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

Inspection Finding

The home's emergency plan and procedures were not in compliance in the areas of testing of the plan, records of the testing of the plan, current arrangements with community partners and resources necessary in the event of an evacuation.

Outcome

The Licensee submitted a plan to achieve compliance by September 30, 2017. RHRA to confirm compliance by inspection.

**2. The Licensee failed to comply with O. Reg. 166/11, s. 43; Initial assessment of care needs.
The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.**

Specifically, the Licensee failed to comply with the following subsection(s):

43. (1) Subject to section 45, no later than two days after a resident commences residency in a retirement home, the licensee of the home shall ensure that an initial assessment of the resident's immediate care needs is conducted.

44. (1) Subject to section 46, no later than 14 days after a resident commences residency in a retirement home, the licensee shall ensure that a full assessment of the resident's care needs and preferences is conducted.

Inspection Finding

Not all resident files reviewed on the date of inspection had an initial and full assessment completed within the required time frames.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

**3. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.**

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

Inspection Finding

Not all staff were completing all areas of mandatory training at orientation and annually.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

4. The Licensee failed to comply with O. Reg. 166/11, s. 15; Policy of zero tolerance of abuse and neglect.

Specifically, the Licensee failed to comply with the following subsection(s):

15. (3) The policy to promote zero tolerance of abuse and neglect of residents described in subsection 67 (4) of the Act shall,

(d) provide that the licensee of the retirement home shall ensure that the resident’s substitute decision-makers, if any, and any other person specified by the resident,

(i) are notified immediately upon the licensee becoming aware of an alleged, suspected or witnessed incident of abuse or neglect of a resident that has resulted in a physical injury or pain to a resident or that causes distress to a resident that could potentially be detrimental to a resident’s health or well-being,

(ii) are notified within 12 hours upon the licensee becoming aware of any other alleged, suspected or witnessed incident of abuse or neglect of a resident;

(e) provide that the licensee of the retirement home shall ensure that the resident and the resident’s substitute decision-makers, if any, are notified of the results of an investigation described in clause 67 (5) (e) of the Act immediately upon the completion of the investigation;

Inspection Finding

The home abuse policy was not in compliance in the above noted areas.

Outcome

The Licensee took corrective action to achieve compliance.

5. The Licensee failed to comply with O. Reg. 166/11, s. 23; Behaviour management.

Specifically, the Licensee failed to comply with the following subsection(s):

23. (1) Every licensee of a retirement home shall develop and implement a written behaviour management strategy that includes,

- (a) techniques to prevent and address resident behaviours that pose a risk to the resident or others in the home;
- (d) protocols for how staff and volunteers shall report and be informed of resident behaviours that pose a risk to the resident or others in the home.

Inspection Finding

The home's behaviour management policy is not in compliance with the above noted areas.

Outcome


The Licensee took corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date August 8, 2017
---	----------------------------