

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: June 5, 2017	Name of Inspector: Corina Gadde
Inspection Type: Routine Inspection	
Licensee: Chartwell Master Care Corporation / 100 Milverton Drive, Mississauga, ON L5R 4H1 (the "Licensee")	
Retirement Home: Chartwell Pembroke Heritage Retirement Residence / 1111 Pembroke Street, Pembroke, ON K8A 8P6 (the "home")	
Licence Number: N0062	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p> <p style="padding-left: 40px;">(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,</p> <p style="padding-left: 80px;">(iv) violent outbursts;</p>
<p>Inspection Finding</p> <p>The home did not demonstrate annual testing of the emergency plan related to violent outbursts.</p>
<p>Outcome</p> <p>The Licensee submitted plan to achieve corrective action by July 31, 2017. RHRA to confirm corrective action by inspection.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.</p> <p>The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.</p> <p>The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p>

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

(d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

Inspection Finding

The home did not demonstrate that all staff received training on the policy to promote zero tolerance of abuse and neglect of residents and the PASD policy prior to working in the home and then annually.

Outcome


The Licensee submitted plan to achieve corrective action by August 16, 2017. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date August 22, 2017
---	-----------------------------