

FINAL INSPECTION REPORT Under the Retirement Homes Act, 2010

Inspection Information

Date of Inspection: July 18, 2017 Name of Inspector: Rachelle Harber

Inspection Type: Mandatory Reporting Inspection

Licensee: 2428577 Ontario Inc. / 8158 Lundy's Lane, Niagara Falls, ON L2H 1H1 (the "Licensee")

Retirement Home: Greycliffe Manor / 8158 Lundy's Lane, Niagara Falls, ON L2H 1H1 (the "home")

Licence Number: S0360

Purpose of Inspection

The RHRA received a report under section 75(1) of the Retirement Homes Act, 2010 (the "RHA").

NON-COMPLIANCE

The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Contents of plan.
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 62; Assessment of resident.

Specifically, the Licensee failed to comply with the following subsection(s):

- <u>62. (4)</u> The licensee of a retirement home shall ensure that there is a written plan of care for each resident of the home that sets out,
 - (b) the planned care services for the resident that the licensee will provide, including,
 - (i) the details of the services,
 - (ii) the goals that the services are intended to achieve,
 - (iii) clear directions to the licensee's staff who provide direct care to the resident;
- **62. (6)** The licensee shall ensure that the plan of care is based on an assessment of the resident and the needs and preferences of the resident.

Inspection Finding

Evidence shows that the licensee did not ensure that a resident was assessed for the needs and preferences of the resident and that the plan of care was completed based on the assessment. Further, the licensee did not ensure that the plan of care for the same resident sets out the planned care services that the licensee will provide for the resident.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

Final Inspection Report Page 1 of 3



2. The Licensee failed to comply with O. Reg. 166/11, s. 29; Administration of drugs or other substances.

The Licensee failed to comply with O. Reg. 166/11, s. 32; Records.

Specifically, the Licensee failed to comply with the following subsection(s):

- <u>29.</u> If one of the care services that the licensee or the staff of a retirement home provide to a resident of the home is the administration of a drug or other substance, the licensee shall ensure that,
 - (b) no drug is administered by the licensee or the staff to the resident in the home except in accordance with the directions for use specified by the person who prescribed the drug for the resident;
- <u>32.</u> If the licensee or a member of the staff of a retirement home administers a drug or other substance to a resident, the licensee shall ensure that,
 - (a) the person who administered the drug or other substance prepares a written record noting the name and amount of the drug or other substance, the route of its administration and the time and date on which it was administered;

Inspection Finding

Evidence shows that the licensee did not administer a drug or other substance to a resident as per physician's order or keep a written record of the administration of the substance.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

Final Inspection Report Page 2 of 3



NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at http://rhra.ca/en/register/

Signature of Inspector	Date
Rachelle Harber	September 28, 2017

Final Inspection Report Page 3 of 3