

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: September 27, 2017	Name of Inspector: Julie Hebert
Inspection Type: Routine Inspection	
Licensee: The Leamington United Mennonite Home & Apartments / 22 Garrison Avenue, Leamington, ON N8H 2P2 (the "Licensee")	
Retirement Home: Leamington Mennonite Home / 22 Garrison Avenue, Leamington, ON N8H 2P2 (the "home")	
Licence Number: S0033	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p> <p>(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,</p> <p>(i) the loss of essential services,</p> <p>(ii) situations involving a missing resident,</p> <p>(iv) violent outbursts;</p>
<p>Inspection Finding</p> <p>The home had not completed all areas of annual emergency plan testing, as noted above.</p>
<p>Outcome</p> <p>The Licensee submitted a plan to achieve compliance by November 30, 2017. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.</p> <p>The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.</p> <p>The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</p>

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(a) the Residents' Bill of Rights;

(b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

Inspection Finding

The home had not completed mandatory annual and orientation training in all required areas.

Outcome

The Licensee submitted a plan to achieve compliance by November 28, 2017. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date October 26, 2017
---	------------------------------