

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: October 6, 2017	Name of Inspector: Michele Davidson
Inspection Type: Routine Inspection	
Licensee: Amica Mature Lifestyles Inc. / Style de Vie Amica Inc. / 20 Queen Street, Toronto, ON M5H 3R4 (the "Licensee")	
Retirement Home: Amica at Thornhill / 546 Steeles Avenue, Vaughan, ON L4J 1A2 (the "home")	
Licence Number: T0149	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 54; Contents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>54. (2) The package of information shall include, at a minimum,</p> <ul style="list-style-type: none"> (c) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents; (d) the licensee's procedure for complaints mentioned in subsection 73 (1);
<p>Inspection Finding</p> <p>The information package issued to new residents did not contain the Licensee's policy on resident abuse and neglect nor complaints procedure.</p>
<p>Outcome</p> <p>The Licensee advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 11; Posted information.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>11. (1) For the purposes of paragraph 4 of subsection 55 (2) of the Act, the following information is prescribed as information that must be posted in a retirement home under that subsection:</p>

6. A copy of the most recent final inspection report prepared by an inspector under section 77 of the Act, subject to section 114 of the Act.

4. Information about reporting to the Registrar matters relating to the care and safety of the residents of the home that is on a sign that the Registrar provides or that is in a form that the Registrar approves.

Inspection Finding

At the time of the inspection, the posted information did not include the listed items.

Outcome

The Licensee advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.

Specifically, the Licensee failed to comply with the following subsection(s):

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

- (i) the loss of essential services,
- (ii) situations involving a missing resident,
- (iii) medical emergencies,
- (iv) violent outbursts;

(c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

Inspection Finding

The inspection plan presented at the inspection did not contain evidence of emergency situations testing.

Outcome

The Licensee submitted plan to achieve compliance by November 10, 2017. RHRA to confirm compliance by inspection.

4. The Licensee failed to comply with O. Reg. 166/11, s. 59; Procedure for complaints to licensee.

Specifically, the Licensee failed to comply with the following subsection(s):

59. (2) The licensee shall ensure that a written record is kept in the retirement home that includes,

- (d) the final resolution, if any, of the complaint;
- (e) every date on which any response was provided to the complainant and a description of the response;

Inspection Finding

The Licensee presented a record of complaints that did not contain the items listed.

Outcome


The Licensee advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date November 19, 2017
---	---------------------------