

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: October 31, 2017	Name of Inspector: Debbie Rydall
Inspection Type: Routine Inspection	
Licensee: Comfortable Retirement / 7139 Appletree Lane, Mississauga, ON L5W 1W5 (the "Licensee")	
Retirement Home: Hampton Court / 49 Albert Street , Southhampton, ON N0H 2L0 (the "home")	
Licence Number: S0205	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 43; Initial assessment of care needs. The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>43. (2) The initial assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:</p> <p>7. Risk of harm to self and to others.</p> <p>44. (1) Subject to section 46, no later than 14 days after a resident commences residency in a retirement home, the licensee shall ensure that a full assessment of the resident's care needs and preferences is conducted.</p> <p>44. (2) The full assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:</p> <p>1. Physical and mental health.</p> <p>7. The matters listed in subsection 43 (2).</p>
<p>Inspection Finding</p> <p>The initial and full assessment forms reviewed at the time of the inspection were not completely aligned with the legislation in the areas listed; further, the inspection could not verify that the full assessment of the resident's care needs had been completed within the timeline prescribed by the legislation.</p>
<p>Outcome</p>

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

- 2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.**

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents' Bill of Rights;
- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The Routine Inspection revealed that a staff member had not received the required mandatory training prior to commencing work in the home.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date November 28, 2017
---	---------------------------