

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: November 6, 2017	Name of Inspector: Julie Hebert
Inspection Type: Routine Inspection	
Licensee: Treco Development Corporation / 1023 County Road 22, Belle River, ON N0R 1A0 (the "Licensee")	
Retirement Home: La Chaumiere Retirement Residence / 1023 County Road 22, Belle River, ON N0R 1A0 (the "home")	
Licence Number: S0214	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 54; Contents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>54. (2) The package of information shall include, at a minimum, (k) an itemized list of the different types of accommodation and care services provided in the retirement home and their prices;</p>
<p>Inspection Finding</p> <p>The home's information package for residents was not in alignment with the legislation in the above noted area.</p>
<p>Outcome</p> <p>The Licensee took corrective action to achieve compliance.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>25. (3) The licensee shall ensure that the emergency plan provides for the following: 3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.</p>
<p>Inspection Finding</p> <p>The home's emergency procedures were not in alignment with the above noted area of the legislation.</p>

Outcome

The Licensee submitted a plan to achieve compliance by December 22, 2017. RHRA to confirm compliance by inspection.

- 3. The Licensee failed to comply with O. Reg. 166/11, s. 43; Initial assessment of care needs.
The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.**

Specifically, the Licensee failed to comply with the following subsection(s):

43. (1) Subject to section 45, no later than two days after a resident commences residency in a retirement home, the licensee of the home shall ensure that an initial assessment of the resident’s immediate care needs is conducted.

44. (1) Subject to section 46, no later than 14 days after a resident commences residency in a retirement home, the licensee shall ensure that a full assessment of the resident’s care needs and preferences is conducted.

Inspection Finding

The home was not able to demonstrate that the initial and full assessments for resident files viewed were completed within the appropriate time frames.

Outcome

The Licensee advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

- 4. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.**

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents’ Bill of Rights;
- (b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The home was not completing all training with staff prior to commencing working in the home.

Outcome

The Licensee advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date December 14, 2017
---	---------------------------