RHRA Retirement Homes Regulatory Authority

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: November 20, 2017	**Name of Inspector:** Douglas Crust
Inspection Type: Routine Inspection	
Licensee: Streetsville Retirement Partnership / 2121 Argentia Road, Mississauga, ON L5N 2X4 (the "Licensee")	
Retirement Home: Credit River Retirement Residence / 175 Rutledge Road, Streetsville, ON L5M 0X7 (the "home")	
Licence Number: T0459	

Purpose of Inspection

The RHRA conducts routine inspections as set out in section 77(3) of the *Retirement Homes Act, 2010* (the "RHA").

NON-COMPLIANCE

1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.
The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.

Specifically, the Licensee failed to comply with the following subsection(s):

24. (5) The licensee shall,

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

(i) the loss of essential services,

(iv) violent outbursts;

(c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

25. (2) The licensee shall ensure that the development of the emergency plan includes,

(b) identification of hazards and risks that may give rise to an emergency affecting the home, whether the hazards and risks arise within the home or in the surrounding vicinity or community, and strategies to address those hazards and risks.

Inspection Finding

At the time of the inspection, the Administrator confirmed that annual testing of the emergency plan for loss of essential services and violent outbursts was not completed in 2016 and no records of the testing and

changes made to improve the system were made, as prescribed. Also, the Licensee did not provide evidence that the hazards and risks that may give rise to an emergency affecting the home had been identified.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(a) the Residents' Bill of Rights;

(b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

(c) the protection afforded for whistle-blowing described in section 115;

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

(f) fire prevention and safety;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

At the time of inspection, a number of staff training records were inspected. The records indicated that one staff member from the sample selected had not completed all of the prescribed training before beginning to work in the Home.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at http://rhra.ca/en/register/

Signature of Inspector	Date
	January 4, 2018