

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: January 16, 2018	Name of Inspector: Susan Lines
Inspection Type: Routine Inspection	
Licensee: Chartwell Master Care Corporation / 100 Milverton Drive, Mississauga, ON L5R 4H1 (the "Licensee")	
Retirement Home: Chartwell Stillwater Creek Retirement Residence / 2018 Robertson Road, Nepean, ON K2H 1C6 (the "home")	
Licence Number: N0464	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 54; Contents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>54. (2) The package of information shall include, at a minimum, (k) an itemized list of the different types of accommodation and care services provided in the retirement home and their prices;</p>
<p>Inspection Finding</p> <p>The home's information package did not meet the requirements at the time of inspection.</p>
<p>Outcome</p> <p>The Licensee submitted plan to achieve compliance by February 28, 2018. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p>

25. (2) The licensee shall ensure that the development of the emergency plan includes,
(b) identification of hazards and risks that may give rise to an emergency affecting the home, whether the hazards and risks arise within the home or in the surrounding vicinity or community, and strategies to address those hazards and risks.

Inspection Finding

The home's emergency plan did not meet the requirements.

Outcome

The Licensee submitted plan to achieve compliance by February 28, 2018. RHRA to confirm compliance by inspection.

**3. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.**

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents' Bill of Rights;
- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The home did not provide evidence to show that all of the staff was trained on all the required topics.

Outcome

The Licensee submitted plan to achieve compliance by March 1, 2018. RHRA to confirm compliance by inspection.

4. The Licensee failed to comply with O. Reg. 166/11, s. 32; Records.

Specifically, the Licensee failed to comply with the following subsection(s):

- 32.** If the licensee or a member of the staff of a retirement home administers a drug or other substance to a resident, the licensee shall ensure that,
- (b) if a drug is administered, there is written evidence that the drug was prescribed for the resident by a person who is authorized to prescribe a drug under section 27 of the Regulated Health Professions Act, 1991;

Inspection Finding

The home did not have written evidence that a drug was prescribed for a resident by a person who was authorized to prescribe it as required.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

5. The Licensee failed to comply with O. Reg. 166/11, s. 55; Contents of records.

Specifically, the Licensee failed to comply with the following subsection(s):

- 55. (5)** A licensee of a retirement home shall keep records proving compliance with the Act and this Regulation in relation to,
- (c) the skills, qualifications and training of the staff who work in the home;

Inspection Finding

The home did not have a record to show that the staff supervising the dementia care program had specific training in dementia care and care of older adults as required.

Outcome

The Licensee submitted plan to achieve compliance by March 27, 2018. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date February 6, 2018
---	--------------------------