

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: January 22, 2018	Name of Inspector: Susan Lines
Inspection Type: Routine Inspection	
Licensee: Lifetimes Limited Partnership / 3200 Dufferin Street, Toronto, ON M6A 3B2 (the "Licensee")	
Retirement Home: The Mayfield Retirement Residence / 248 Park Street, Prescott, ON K0E 1T0 (the "home")	
Licence Number: N0354	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <p style="padding-left: 40px;">(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;</p> <p>27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,</p> <p style="padding-left: 40px;">(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;</p> <p style="padding-left: 40px;">(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.</p>
<p>Inspection Finding</p> <p>A staff was not trained in all the topics in which they required training.</p>
<p>Outcome</p> <p>The Licensee took corrective action to achieve compliance.</p>

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date February 7, 2018
---	--------------------------