

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> January 17, 2018	<b>Name of Inspector:</b> Debbie Rydall
<b>Inspection Type:</b> Routine Inspection	
<b>Licensee:</b> Caessant Care Nursing and Retirement Homes Limited / 264 Norwich Avenue, Woodstock, ON N4S 3V9 (the "Licensee")	
<b>Retirement Home:</b> Caessant Care - Arthur / 215 Eliza Street, Arthur, ON N0G 1A0 (the "home")	
<b>Licence Number:</b> T0032	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 54; Contents.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>54. (2)</b> The package of information shall include, at a minimum, (l) a statement that a resident may purchase or apply for care services, other services, programs or goods from external care providers;</p>
<p><b>Inspection Finding</b></p> <p>The home's information package was not completely aligned with the legislation in the area listed.</p>
<p><b>Outcome</b></p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p><b>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>24. (4)</b> The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p>

**25. (3)** The licensee shall ensure that the emergency plan provides for the following:

1. Dealing with,
  - vii. situations involving a missing resident,
  - viii. loss of one or more essential services.
2. Evacuation of the retirement home, including a system in the home to account for the whereabouts of all residents in the event that it is necessary to evacuate and relocate residents and evacuate staff and others in case of an emergency.

**25. (4)** The licensee shall ensure that the emergency plan addresses the following components:

4. Specific staff roles and responsibilities.

**Inspection Finding**

The emergency plan reviewed at the time of the inspection was not specific to the retirement home and not completely aligned with the legislation in the areas listed.

**Outcome**

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

**3. The Licensee failed to comply with O. Reg. 166/11, s. 43; Initial assessment of care needs.**

Specifically, the Licensee failed to comply with the following subsection(s):

**43. (2)** The initial assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:

5. Dietary needs including known food restrictions.

**Inspection Finding**

The initial assessment of care needs did not consider the area listed as per the requirements of the legislation.

**Outcome**

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

**4. The Licensee failed to comply with O. Reg. 166/11, s. 15; Policy of zero tolerance of abuse and neglect.**

Specifically, the Licensee failed to comply with the following subsection(s):

**15. (1)** The program for preventing abuse and neglect described in clause 67 (5) (c) of the Act shall entail training and retraining requirements for all staff of the retirement home, including,

- (a) training on the relationship between power imbalances between staff and residents and the potential for abuse and neglect by those in a position of trust, power and responsibility for resident care;
- (b) situations that may lead to abuse and neglect and how to avoid such situations.

**Inspection Finding**

The home's Prevention of Abuse and Neglect policy reviewed at the time of the inspection was not completely aligned with the legislation in the area listed.

**Outcome**


The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date February 14, 2018
---	---------------------------