

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: February 13, 2018	Name of Inspector: Ben Razulis
Inspection Type: Routine Inspection	
Licensee: Ewart Angus Homes Inc / 2601 Bayview Avenue, Toronto, ON M2L 1B5 (the "Licensee")	
Retirement Home: Cedarhurst Dementia Care Home / 2601 Bayview Avenue, Toronto, ON M2L 1B5 (the "home")	
Licence Number: T0065	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 43; Initial assessment of care needs. The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>43. (2) The initial assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:</p> <p>9. Needs related to drugs and other substances.</p> <p>44. (2) The full assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:</p> <p>7. The matters listed in subsection 43 (2).</p>
<p>Inspection Finding</p> <p>The Licensee failed to ensure that all required matters were considered during resident assessments.</p>
<p>Outcome</p> <p>The Licensee submitted a plan to achieve compliance by March 9, 2018. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training. The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</p>

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

(d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

Inspection Finding

The Licensee failed to ensure that all staff of the home were trained in the listed areas.

Outcome


The Licensee submitted a plan to achieve compliance by March 9, 2018. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date February 28, 2018
---	---------------------------