

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: February 20, 2018	Name of Inspector: Corina Gadde
Inspection Type: Routine Inspection	
Licensee: ACGH Investments Inc. / 889 Elmsmere Road, Gloucester, ON K1J 9L5 (the "Licensee")	
Retirement Home: Villa Elmsmere villa / 889 Elmsmere Road, Gloucester, ON K1J 9L5 (the "home")	
Licence Number: N0385	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p> <ul style="list-style-type: none"> (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to, <ul style="list-style-type: none"> (i) the loss of essential services, (c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.
<p>Inspection Finding</p> <p>Written records of testing of the emergency plan did not include adequate details, and there was no evidence of testing loss of essential services.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.</p> <p>The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.</p> <p>The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</p>

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

Inspection Finding

Not all staff received the required training on the abuse policy and PASD policy.

Outcome


The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date March 5, 2018
-------------------------------------------------------------------------------------------------------------	-----------------------