

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: March 26, 2018	Name of Inspector: Debbie Rydall
Inspection Type: Routine Inspection	
Licensee: 488491 Ontario Inc. / 355 Broadway Avenue, Orangeville, ON L9W 3Y3 (the "Licensee")	
Retirement Home: Avalon Retirement Lodge / 355 Broadway Avenue, Orangeville, ON L9W 3Y3 (the "home")	
Licence Number: T0159	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p>
<p>Inspection Finding</p> <p>There was no documented evidence provided at the time of the inspection to support that the home had the required current arrangements in place in responding to an emergency; specifically related to alternate accommodation.</p>
<p>Outcome</p> <p>The Licensee took corrective action to achieve compliance.</p>
<p>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.</p> <p>The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</p> <p>The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,</p> <ul style="list-style-type: none"> (a) the Residents' Bill of Rights; (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents; (c) the protection afforded for whistle-blowing described in section 115;

- (d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The staff training records reviewed at the time of the routine inspection revealed that not all staff had received the required training prior to working in the home.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 20; Food preparation.

Specifically, the Licensee failed to comply with the following subsection(s):

20. (4) The licensee shall ensure that whenever food is prepared in the retirement home, at least one person involved in preparing the food holds a current certificate in food handling from the local public health unit or has recently successfully completed a food handling training program equivalent to that offered by public health units.

Inspection Finding

The routine inspection revealed that safe food handling certificates were not in place for those staff requiring the certificate as per the requirements of the legislation.

Outcome

The Licensee submitted plan to achieve compliance by May 16, 2018. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date April 13, 2018
---	------------------------