RHRA Retirement Homes Regulatory Authority

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: May 1, 2018	**Name of Inspector:** Julie Hebert
Inspection Type: Compliance Inspection	
Licensee: 2518543 Ontario Inc. / 184 Victoria Street , Amhurstburg, ON N9V 2K5 (the "Licensee")	
Retirement Home: Victoria Street Manor / 184 Victoria Street, Amherstburg, ON N9V 2K5 (the "home")	
Licence Number: S0432	

Purpose of Inspection
The RHRA conducts compliance inspections as set out in section 77(1) of the *Retirement Homes Act, 2010* (the "RHA").

NON-COMPLIANCE
1. The Licensee failed to comply with O. Reg. 166/11, s. 29; Administration of drugs or other substances. Specifically, the Licensee failed to comply with the following subsection(s): **29.** If one of the care services that the licensee or the staff of a retirement home provide to a resident of the home is the administration of a drug or other substance, the licensee shall ensure that, (e) if the licensee or a staff member is involved in the administration of the drug or other substance at the home, that the licensee or staff member is trained in, (i) ways of reducing the incidence of infectious disease, including maintaining proper hand hygiene, (ii) the safe disposal of syringes and other sharps, (iii) recognizing an adverse drug reaction and taking appropriate action; (c) neither the licensee nor a staff member administers a drug to a resident in the home unless the licensee or the staff member has received training in the procedures applicable to the administration of the drug;
Inspection Finding The home was not able to demonstrate that it was training staff on all areas of medication administration.
Outcome The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 54; Contents.

Specifically, the Licensee failed to comply with the following subsection(s):

54. (2) The package of information shall include, at a minimum,

(k) an itemized list of the different types of accommodation and care services provided in the retirement home and their prices;

Inspection Finding

On the date of inspection the home's information package was not in compliance with the legislation

Outcome

The Licensee took corrective action to achieve compliance.

3. The Licensee failed to comply with O. Reg. 166/11, s. 26; Emergency plan, retirement home with 10 or fewer residents.

Specifically, the Licensee failed to comply with the following subsection(s):

26. The emergency plan for a retirement home that has 10 or fewer residents shall, in addition to the requirements in section 24, meet the following requirements:

2. The plan shall identify and address hazards and risks that may give rise to an emergency affecting the home.

3. The plan shall include steps in the evacuation of the home, including a system in the home to account for the whereabouts of all residents in the event that it is necessary to evacuate and relocate residents and evacuate staff and others in case of an emergency.

Inspection Finding

The home's emergency plan was not in alignment with the above noted legislation.

Outcome

The Licensee must take corrective action to achieve compliance.

4. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

(b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;

(a) the Residents' Bill of Rights;

(c) the protection afforded for whistle-blowing described in section 115;

(d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

(f) fire prevention and safety;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The home was not training staff on all required areas prior to commencing working in the home.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

5. The Licensee failed to comply with O. Reg. 166/11, s. 15; Policy of zero tolerance of abuse and neglect.

Specifically, the Licensee failed to comply with the following subsection(s):

15. (3) The policy to promote zero tolerance of abuse and neglect of residents described in subsection 67 (4) of the Act shall,

(e) provide that the licensee of the retirement home shall ensure that the resident and the resident's substitute decision-makers, if any, are notified of the results of an investigation described in clause 67 (5) (e) of the Act immediately upon the completion of the investigation;

Inspection Finding

The home's abuse policy was not in alignment with the above noted areas of the legislation.

Outcome

The Licensee took corrective action to achieve compliance.

6. The Licensee failed to comply with O. Reg. 166/11, s. 22; Risk of falls.

Specifically, the Licensee failed to comply with the following subsection(s):

22. (1) Every licensee of a retirement home shall develop, document and implement strategies to reduce or mitigate the risk of falls in common areas of the home.

Inspection Finding

The home was not able to demonstrate that it was fully implementing its falls prevention strategies.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

7. The Licensee failed to comply with O. Reg. 166/11, s. 55; Contents of records.

Specifically, the Licensee failed to comply with the following subsection(s):

55. (2) The record for each resident shall include,

(d) a copy of the resident's most recent plan of care;

Inspection Finding

Not all resident files contained a plan of care.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

8. The Licensee failed to comply with O. Reg. 166/11, s. 29; Administration of drugs or other substances.

Specifically, the Licensee failed to comply with the following subsection(s):

29. If one of the care services that the licensee or the staff of a retirement home provide to a resident of the home is the administration of a drug or other substance, the licensee shall ensure that,

(d) a member of a College, as defined in the Regulated Health Professions Act, 1991, supervises the administration of the drug or other substance to the resident in the home;

Inspection Finding

The home does not have a member of a college as defined in the Regulated Health Professions Act supervising the administration of the drug or other substance to the resident in the home.

Outcome

The Licensee must take corrective action to achieve compliance.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at http://rhra.ca/en/register/

Signature of Inspector	Date
Julie Hebert	May 15, 2018