

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> April 18, 2018	<b>Name of Inspector:</b> Debbie Rydall
<b>Inspection Type:</b> Routine Inspection	
<b>Licensee:</b> Retirement Life Communities Inc. / 1670 Bayview Avenue, Toronto, ON M4G 3C2 (the "Licensee")	
<b>Retirement Home:</b> Goderich Place Retirement Residence / 30 Balvina Drive, Goderich, ON N7A 4L5 (the "home")	
<b>Licence Number:</b> S0355	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 54; Contents.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>54. (2)</b> The package of information shall include, at a minimum,</p> <p style="padding-left: 40px;">(c) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;</p>
<p><b>Inspection Finding</b></p> <p>The reviewed resident information package was not completely aligned with the legislation in the area listed.</p>
<p><b>Outcome</b></p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p><b>2. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.</b></p> <p><b>The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.</b></p> <p><b>The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p>

**65. (2)** Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents' Bill of Rights;
- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;

**14. (1)** For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

**27. (9)** The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

**Inspection Finding**

The selected training records reviewed at the time of the inspection revealed that not all staff had completed the required training prior to working in the home as per the requirements of the legislation in the areas listed.

**Outcome**


The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date May 18, 2018
---	----------------------