

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: August 1, 2018	Name of Inspector: Corina Gadde
Inspection Type: Routine Inspection	
Licensee: Carefor Health & Community Services / 425 Cecelia Street, Pembroke, ON K8A 1S7 (the "Licensee")	
Retirement Home: Carefor Civic Complex / 425 Cecelia Street, Pembroke, ON K8A 1S7 (the "home")	
Licence Number: N0162	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 54; Contents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>54. (2) The package of information shall include, at a minimum, (s) information as to whether the retirement home has automatic sprinklers in each resident's room;</p>
<p>Inspection Finding</p> <p>The package of information for residents did not contain information about whether or not there are sprinklers in each resident's room.</p>
<p>Outcome</p> <p>Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall, (a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to, (i) the loss of essential services, (ii) situations involving a missing resident,</p>

- (iii) medical emergencies,
- (iv) violent outbursts;

Inspection Finding

The required testing of the emergency plan was not completed on an annual basis.

Outcome

Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 15; Policy of zero tolerance of abuse and neglect.

Specifically, the Licensee failed to comply with the following subsection(s):

15. (1) The program for preventing abuse and neglect described in clause 67 (5) (c) of the Act shall entail training and retraining requirements for all staff of the retirement home, including,

- (a) training on the relationship between power imbalances between staff and residents and the potential for abuse and neglect by those in a position of trust, power and responsibility for resident care;
- (b) situations that may lead to abuse and neglect and how to avoid such situations.

15. (3) The policy to promote zero tolerance of abuse and neglect of residents described in subsection 67 (4) of the Act shall,

- (d) provide that the licensee of the retirement home shall ensure that the resident’s substitute decision-makers, if any, and any other person specified by the resident,
 - (i) are notified immediately upon the licensee becoming aware of an alleged, suspected or witnessed incident of abuse or neglect of a resident that has resulted in a physical injury or pain to a resident or that causes distress to a resident that could potentially be detrimental to a resident’s health or well-being,
 - (ii) are notified within 12 hours upon the licensee becoming aware of any other alleged, suspected or witnessed incident of abuse or neglect of a resident;
- (f) provide that the licensee of the retirement home shall ensure that the appropriate police force is immediately notified of any alleged, suspected or witnessed incident of abuse or neglect of a resident that the licensee suspects may constitute a criminal offence;

Inspection Finding

The abuse policy did not meet the requirements.

Outcome

Licensee has demonstrated it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

4. The Licensee failed to comply with O. Reg. 166/11, s. 23; Behaviour management.

Specifically, the Licensee failed to comply with the following subsection(s):

23. (1) Every licensee of a retirement home shall develop and implement a written behaviour management strategy that includes,


(d) protocols for how staff and volunteers shall report and be informed of resident behaviours that pose a risk to the resident or others in the home
<p>Inspection Finding The behaviour management strategy did not meet the requirements.</p>
<p>Outcome Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>5. The Licensee failed to comply with O. Reg. 166/11, s. 31; Medication management system.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>31. (1) If one of the care services that the licensee or the staff of a retirement home provide to a resident of the home is the administration of a drug or other substance, the licensee shall establish a medication management system, which includes written policies and procedures, to ensure that all drugs and other substances to be administered to residents of the home are acquired, received in the home, stored, dispensed, administered, destroyed and disposed of correctly as required by law and in accordance with prevailing practices.</p>
<p>Inspection Finding The medication management policies and procedures did not meet the requirements.</p>
<p>Outcome Licensee has demonstrated that it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes <https://rhra.i-sight.com/i-sight/rhra.nsf/allemails.xsp> Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date August 21, 2018
---	-------------------------