

**FINAL INSPECTION REPORT**  
**Under the *Retirement Homes Act, 2010***

Inspection Information	
<b>Date of Inspection:</b> August 2, 2018	<b>Name of Inspector:</b> Susan Lines
<b>Inspection Type:</b> Routine Inspection	
<b>Licensee:</b> Chartwell Master Care Corporation / 100 Milverton Drive, Mississauga, ON L5R 4H1 (the "Licensee")	
<b>Retirement Home:</b> Chartwell Stillwater Creek Retirement Residence / 2018 Robertson Road, Nepean, ON K2H 1C6 (the "home")	
<b>Licence Number:</b> N0464	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p><b>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 54; Contents.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>54. (2)</b> The package of information shall include, at a minimum,</p> <p style="padding-left: 40px;">(k) an itemized list of the different types of accommodation and care services provided in the retirement home and their prices;</p>
<p><b>Inspection Finding</b></p> <p>The home's information package did not include all the care services as required.</p>
<p><b>Outcome</b></p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p><b>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</b></p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p><b>24. (5)</b> The licensee shall,</p> <p style="padding-left: 40px;">(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,</p> <p style="padding-left: 80px;">(i) the loss of essential services,</p>

- (ii) situations involving a missing resident,
  - (iii) medical emergencies,
  - (i) the loss of essential services,
- (c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

**25. (2)** The licensee shall ensure that the development of the emergency plan includes,

- (b) identification of hazards and risks that may give rise to an emergency affecting the home, whether the hazards and risks arise within the home or in the surrounding vicinity or community, and strategies to address those hazards and risks.

**25. (3)** The licensee shall ensure that the emergency plan provides for the following:

- 3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

**Inspection Finding**

The home's emergency plan did not meet the requirements.

**Outcome**

The Licensee submitted a plan to achieve compliance by September 30, 2018. RHRA to confirm compliance by inspection.

**3. The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.**

Specifically, the Licensee failed to comply with the following subsection(s):

**27. (2)** The licensee shall consult on an ongoing basis and not less than once a year with the local medical officer of health or designate about identifying and addressing health care issues in the retirement home in order to reduce the incidence of infectious disease outbreaks in the home.

**27. (3)** The licensee shall keep a written record of the consultation required under subsection (2) that shall include a record of when the consultation took place, what was discussed and any recommendations that the local medical officer of health or designate made.

**Inspection Finding**

The home's infection prevention and control program did not meet the requirements.

**Outcome**

The Licensee submitted a plan to achieve compliance by September 30, 2018. RHRA to confirm compliance by inspection.

- 4. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.**
- The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Additional training for direct care staff.**
  - The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.**
  - The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.**

Specifically, the Licensee failed to comply with the following subsection(s):

**65. (2)** Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents’ Bill of Rights;
- (d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;

**65. (5)** The licensee shall ensure that all staff who provide care services to residents receive training in the following matters and at the times required by the regulations, as a condition of continuing to have contact with residents, in addition to the other training that they are required to receive under this section:

- 3. Behaviour management.

**14. (1)** For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

**27. (9)** The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

**Inspection Finding**

The home's staff was not all trained in all the topics in which they required training.

**Outcome**

The Licensee submitted a plan to achieve compliance by September 30, 2018. RHRA to confirm compliance by inspection.

**5. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 73; Requirements for procedure. The Licensee failed to comply with O. Reg. 166/11, s. 59; Procedure for complaints to licensee.**

Specifically, the Licensee failed to comply with the following subsection(s):

**73. (2)** The procedure shall comply with the regulations.

**59. (1)** Every licensee of a retirement home shall ensure that every written or verbal complaint made to the licensee or a staff member concerning the care of a resident or operation of the home is dealt with as follows:

- 4. A response shall be made to the person who made the complaint, indicating,
  - i. what the licensee has done to resolve the complaint,
  - ii. that the licensee believes the complaint to be unfounded and the reasons for the belief.
- 3. For those complaints that cannot be investigated and resolved within 10 business days, an acknowledgement of receipt of the complaint shall be provided within 10 business days of receipt of the complaint, including the date by which the complainant can reasonably expect a resolution, and


a follow-up response that complies with paragraph 4 shall be provided as soon as possible in the circumstances.
<b>Inspection Finding</b> The home's complaints procedure did not meet the requirements.
<b>Outcome</b> The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

**NOTICE**

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector  	Date  September 7, 2018
---	-------------------------------