

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: September 6, 2018	Name of Inspector: Douglas Crust
Inspection Type: Routine Inspection	
Licensee: Sienna Ontario RH GP Inc. / 302 Town Centre Boulevard , Markham, ON L3R 0E8 (the "Licensee")	
Retirement Home: Villa Da Vinci Retirement Residence / 7371 Martin Grove Road, Woodbridge, ON L4L 9E4 (the "home")	
Licence Number: T0525	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 54; Contents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>54. (2) The package of information shall include, at a minimum, (l) a statement that a resident may purchase or apply for care services, other services, programs or goods from external care providers;</p>
<p>Inspection Finding</p> <p>The package of information presented for inspection did not contain all of the information prescribed.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general. The Licensee failed to comply with O. Reg. 166/11, s. 25; Emergency plan, retirement home with more than 10 residents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p>

25. (3) The licensee shall ensure that the emergency plan provides for the following:

3. Resources, supplies and equipment vital for the emergency response being set aside and readily available at the retirement home and regular testing of all such resources, supplies and equipment to ensure that they are in working order.

Inspection Finding

At the time of the inspection, the Licensee did not provide evidence of current arrangements between the Licensee and community agencies, partner facilities or resources involved in responding to an emergency. The Licensee also did not provide evidence that the equipment in the emergency kit was regularly tested, as prescribed.

Outcome

The Licensee submitted a plan to achieve compliance by October 19, 2018. RHRA to confirm compliance by inspection.

3. **The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.**
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; On-going training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents’ Bill of Rights;
- (b) the licensee’s policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee’s policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

65. (4) The licensee shall ensure that the persons who are required to receive the training described in subsection (2) receive on-going training as described in that subsection at the times required by the regulations.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

14. (2) For the purposes of subsection 65 (4) of the Act, the licensee shall ensure that the persons who are required to receive training under subsection 65 (2) of the Act receive the training at least annually.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

At the time of inspection, there was insufficient evidence to confirm that all staff had been trained in the policies of the Licensee in each of the areas listed.

Outcome


The Licensee submitted a plan to achieve compliance by October 31, 2018. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date October 2, 2018
---	-------------------------