

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

| Inspection Information | |
|--|--|
| Date of Inspection: October 4, 2018 | Name of Inspector: Julie Hebert |
| Inspection Type: Routine Inspection | |
| Licensee: Beattie Line Manor Ltd. / 23328 Beattie Line, Wardsville, ON N0L 2N0 (the "Licensee") | |
| Retirement Home: Beattie Manor / 23328 Beattie Line, Wardsville, ON N0L 2N0 (the "home") | |
| Licence Number: S0401 | |

| Purpose of Inspection |
|---|
| The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA"). |

| NON-COMPLIANCE |
|--|
| <p>1. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 54; Contents.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>54. (2) The package of information shall include, at a minimum,</p> <p style="padding-left: 40px;">(k) an itemized list of the different types of accommodation and care services provided in the retirement home and their prices;</p> |
| <p>Inspection Finding</p> <p>The home's information package was not in alignment with the above noted legislation.</p> |
| <p>Outcome</p> <p>The Licensee demonstrated it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p> |
| <p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p> <p style="padding-left: 40px;">(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,</p> <p style="padding-left: 80px;">(i) the loss of essential services,</p> |

(iv) violent outbursts;
 (b) at least once every two years, conduct a planned evacuation of the retirement home;
 (c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

Inspection Finding
 The home's emergency plan was not in compliance with the above noted sections of the legislation.

Outcome
 The Licensee submitted a plan to achieve compliance by November 5, 2018. RHRA to confirm compliance by inspection.

3. The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.

Specifically, the Licensee failed to comply with the following subsection(s):

44. (1) Subject to section 46, no later than 14 days after a resident commences residency in a retirement home, the licensee shall ensure that a full assessment of the resident's care needs and preferences is conducted.

Inspection Finding
 Not all resident files contained a compliant full assessment which was completed within the appropriate time frame.

Outcome
 The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

4. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents' Bill of Rights;
- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

(a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;

(b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

Not all staff completed the required training to commencing working in the home.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

5. The Licensee failed to comply with O. Reg. 166/11, s. 20; Food preparation.

Specifically, the Licensee failed to comply with the following subsection(s):

20. (4) The licensee shall ensure that whenever food is prepared in the retirement home, at least one person involved in preparing the food holds a current certificate in food handling from the local public health unit or has recently successfully completed a food handling training program equivalent to that offered by public health units.

Inspection Finding

The home was not able to demonstrate that at all times food was being prepared at least one person involved in the preparation of food held a current Food Handler's Certificate.

Outcome


The Licensee demonstrated it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

| | |
|---|--------------------------|
| Signature of Inspector  | Date October 17, 2018 |
|---|--------------------------|