

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: October 17, 2018	Name of Inspector: Rachelle Harber
Inspection Type: Routine Inspection	
Licensee: Lifetimes Limited Partnership / 3200 Dufferin Street, Toronto, ON M6A 3B2 (the "Licensee")	
Retirement Home: Willoughby Manor Retirement Residence / 3584 Bridgewater Street, Niagara Falls, ON L2G 6H1 (the "home")	
Licence Number: S0348	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (4) The licensee shall keep current all arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency.</p> <p>24. (5) The licensee shall,</p> <p>(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,</p> <ul style="list-style-type: none"> (i) the loss of essential services, (ii) situations involving a missing resident, (iii) medical emergencies, (iv) violent outbursts; <p>(b) at least once every two years, conduct a planned evacuation of the retirement home;</p>
<p>Inspection Finding</p> <p>The homes emergency plan does not meet the requirements set out in this section.</p>
<p>Outcome</p> <p>The Licensee submitted plan to achieve compliance by November 9, 2018. RHRA to confirm compliance by inspection.</p>

2. The Licensee failed to comply with O. Reg. 166/11, s. 44; Full assessment of care needs.

Specifically, the Licensee failed to comply with the following subsection(s):

44. (2) The full assessment mentioned in subsection (1) shall consider the following matters with respect to the resident:

Inspection Finding

The Licensee did not meet the requirements set out in this section related to full assessments of residents care needs.

Outcome

The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

- 3. The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Training.**
The Licensee failed to comply with the RHA, S.O. 2010, c. 11, s. 65; Additional training for direct care staff.
The Licensee failed to comply with O. Reg. 166/11, s. 14; Staff training.
The Licensee failed to comply with O. Reg. 166/11, s. 27; Infection prevention and control program.

Specifically, the Licensee failed to comply with the following subsection(s):

65. (2) Every licensee of a retirement home shall ensure that no staff work in the home unless they have received training in,

- (a) the Residents' Bill of Rights;
- (b) the licensee's policy mentioned in subsection 67 (4) to promote zero tolerance of abuse and neglect of residents;
- (c) the protection afforded for whistle-blowing described in section 115;
- (d) the licensee's policy mentioned in subsection 68 (3) regarding the use of personal assistance services devices for residents;
- (f) fire prevention and safety;

65. (5) The licensee shall ensure that all staff who provide care services to residents receive training in the following matters and at the times required by the regulations, as a condition of continuing to have contact with residents, in addition to the other training that they are required to receive under this section:

- 3. Behaviour management.

14. (1) For the purposes of clause 65 (2) (j) of the Act, every licensee of a retirement home shall ensure that all staff who work in the home receive training in the procedure described in subsection 73 (1) of the Act for a person to complain to the licensee.

27. (9) The licensee shall ensure that each staff member who works in the retirement home receives training on how to reduce the incidence of infectious disease transmission, including,

- (a) the need for and method of maintaining proper hand hygiene and method of preventing cross contamination, including proper handling of soiled linens, the protection of uniforms, and the separation of clean and dirty items;
- (b) the need for and process of reporting, providing surveillance of and documenting incidents of infectious illness.

Inspection Finding

The Licensee did not meet the requirements set out in this section related to staff training.

Outcome


The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date November 13, 2018
---	---------------------------