

FINAL INSPECTION REPORT
Under the *Retirement Homes Act, 2010*

Inspection Information	
Date of Inspection: November 7, 2018	Name of Inspector: Michele Davidson
Inspection Type: Routine Inspection	
Licensee: Swan Lake Limited Partnership / 20 Queen Street, Toronto, ON M5H 3R4 (the "Licensee")	
Retirement Home: Amica at Swan Lake / 6360 16th Avenue, Markham, ON L3P 7Y6 (the "home")	
Licence Number: T0148	

Purpose of Inspection
The RHRA conducts routine inspections as set out in section 77(3) of the <i>Retirement Homes Act, 2010</i> (the "RHA").

NON-COMPLIANCE
<p>1. The Licensee failed to comply with O. Reg. 166/11, s. 20; Food preparation.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>20. (4) The licensee shall ensure that whenever food is prepared in the retirement home, at least one person involved in preparing the food holds a current certificate in food handling from the local public health unit or has recently successfully completed a food handling training program equivalent to that offered by public health units.</p>
<p>Inspection Finding</p> <p>At the time of the inspection, the Licensee could not demonstrate that all food preparation involved someone with a valid food handling certificate. The employee assigned to one of the shifts, had a recently expired food handling certificate.</p>
<p>Outcome</p> <p>The Licensee has advised it has taken corrective action to achieve compliance. RHRA to confirm compliance by inspection.</p>
<p>2. The Licensee failed to comply with O. Reg. 166/11, s. 24; Emergency plan, general.</p> <p>Specifically, the Licensee failed to comply with the following subsection(s):</p> <p>24. (5) The licensee shall,</p>

(a) on an annual basis at least, test the emergency plan, including arrangements with community agencies, partner facilities and resources that will be involved in responding to an emergency, related to,

- (i) the loss of essential services,
- (ii) situations involving a missing resident,
- (iii) medical emergencies,
- (iv) violent outbursts;

(c) keep a written record of the testing of the emergency plan and planned evacuations and of any changes made to improve the emergency plan.

Inspection Finding

A review of the Licensee's emergency plan revealed that the annual testing of emergency situations had not been completed within the last twelve months.

Outcome


The Licensee submitted plan to achieve compliance by November 27, 2018. RHRA to confirm compliance by inspection.

NOTICE

The Final Inspection Report is being provided to the Licensee, the Registrar of the Retirement Homes Regulatory Authority (the "RHRA") and the home's Residents' Council, if any.

Section 55 of the RHA requires that the Final Inspection Report be posted in the home in a conspicuous and easily accessible location. In addition, the Licensee must ensure that copies of every Final Inspection Report from the previous two (2) years are made available in the Home, in an easily accessible location.

The Registrar's copy of the Final Inspection Report, as it appears here, will be included on the RHRA Public Register, available online at <http://rhra.ca/en/register/>

Signature of Inspector 	Date November 21, 2018
---	---------------------------